



AMERICAN ACADEMY *of* ACTUARIES

Phase I Report of the American Academy of Actuaries' C-3 Subgroup of the Life Risk Based Capital Task Force to the National Association of Insurance Commissioners' Risk Based Capital Work Group October 1999 - Atlanta, GA

The American Academy of Actuaries is the public policy organization for actuaries practicing in all specialties within the United States. A major purpose of the Academy is to act as the public information organization for the profession. The Academy is non-partisan and assists the public policy process through the presentation of clear and objective actuarial analysis. The Academy regularly prepares testimony for Congress, provides information to federal elected officials, comments on proposed federal regulations, and works closely with state officials on issues related to insurance. The Academy also develops and upholds actuarial standards of conduct, qualification and practice and the Code of Professional Conduct for all actuaries practicing in the United States.

This report was prepared by the American Academy of Actuaries Life Risk-based Capital Task Force.

C-3 Subgroup of the Life Risk-Based Capital Task Force

Robert A. Brown, F.S.A., M.A.A.A., Chair

Errol Cramer, F.S.A., M.A.A.A.

Craig Fowler, F.S.A.

Alastair Longley-Cook, F.S.A., M.A.A.A.

Linn K. Richardson, F.S.A., M.A.A.A.

David K. Sandberg, F.S.A., M.A.A.A.

James A. Tolliver, F.S.A., M.A.A.A.

Michael L. Zurcher, F.S.A., M.A.A.A.

Joseph L. Dunn, F.S.A., M.A.A.A.

Glenn Keller, F.S.A., M.A.A.A.

James F. Reiskytl, F.S.A., M.A.A.A.

Mark C. Rowley, F.S.A., M.A.A.A.

Stephen A.J. Sedlak, F.S.A., M.A.A.A.

Bill Wilton, F.S.A., M.A.A.A.

Acknowledgements

In addition to the members of the Academy's C-3 Subgroup, contributing to the report were Ron Rubnich, Steve Ekblad, and Lloyd Spencer. Their efforts are greatly appreciated. Also, thanks is due to the full Life Risk Based Capital Task Force at the Academy for their efforts.

Executive Summary

Background

Several years ago, the NAIC Life Risk Based Capital Working Group asked the AAA Life Risk Based Capital Task Force to take a fresh look at the C-3 component of the RBC formula to see if a practical method could be found to reflect the degree of asset/liability mismatch risk of a particular company.

We reviewed the request and we agree that more sensitivity to the specifics of product design and funding strategy is appropriate to advance the goal of differentiating weakly capitalized companies from the rest. We have determined that, due to the widespread use of increasingly well disciplined scenario testing for Asset Adequacy Analysis, a foundation now exists for such an improvement. For this purpose, we have defined C-3 risk to include Asset/Liability risk in general, not just interest rate risk. However, this recommendation does not address refining the measurement for other than interest rate risk, since doing so would require introduction of a model of stock market performance. Addressing these products is one of the “next steps” suggested.

Our recommendation is to change the method of developing the C-3 component of RBC, effective 12/31/2000, building on the work of the asset adequacy modeling, but using interest scenarios designed to help approximate the 95th percentile C-3 risk.

Recommendation

The revised C-3 component is to be calculated as the sum of three amounts, but subject to a minimum and maximum. The calculation is:

a) For Annuities or Single Premium Life Insurance products, whether written directly or assumed through reinsurance, that the company tests for Asset Adequacy Analysis using cash flow testing, the C-3 requirement is calculated based on the same cash flow models, assets, and assumptions used and same “as-of” date as for Asset Adequacy, but with a different set of interest scenarios, and a different measurement of results. A weighted average of a subset of the scenario specific results is used to determine the C-3 requirement. If the “as-of” date of this testing is not 12/31, the ratio of the C-3 requirement to reserves on the “as-of” date is applied to the year end reserves, similarly grouped, to determine the year-end C-3 requirement for this category. With respect to reinsured ceded or assumed business, Asset Adequacy Analyses should be based on the risk actually retained or assumed, and reflect expected experience rating and other adjustments based on the scenarios tested. Equity indexed products are to use the existing factors, not the results of scenario testing.

- b) For all other products (either non-cash-flow-tested or those outside the product scope defined above) the C-3 requirements are calculated using current existing factors and instructions.
- c) For callable assets (including IOs and similar investments) supporting untested products and surplus the C-3 requirement is 50% of the excess, if any, of statement value above current call price (calculated on an asset by asset basis).

The total C-3 component is the sum of a, b, and c, but not less than half nor more than double the C-3 component based on current factors and instructions.

- For this recommendation, “annuities” means products with the characteristics of deferred and immediate annuities, structured settlements, guaranteed separate accounts, and GICs (including synthetic GICs, and funding agreements). If cash flow testing of debt incurred for funding an investment account is required by the insurer’s state of domicile for asset adequacy analysis, it is included. Equity based variable products are not to be included, but products that guarantee a bond index and variable annuities sold as fixed are, if they are cash flow tested.
- The company may use either a standard 50 scenario set of interest rates or an alternative, but more conservative, 12 scenario set (for part a, above). It may use the smaller set for some products and the larger one for others, but aggregation will then only be available among products using the same scenario sets. Details of the scenario testing methodology are contained in Appendix I.
- In order to allow time for the additional work effort needed for the new approach while not delaying filing dates, we recommend that an estimated value be permitted for the year end statement. For the RBC diskette filing, these C-3 results must be determined by scenario. If the actual RBC value exceeds that estimated earlier in the blanks filing by more than 5%, or if the actual value triggers regulatory action, a revised filing of that statement page with the NAIC and the state of domicile is required by June 15, otherwise it is permitted but not required.
- The diskette submission will be accompanied by a statement from the Appointed Actuary certifying that in his or her opinion the assumptions used for these calculations are not unreasonable for the products, scenarios, and regulatory purpose being tested.
- The scenario testing used for this purpose will use the same assumptions as to cash flows, assets associated with tested liabilities, future investment strategy, rate spreads, credit losses, “as-of” date and treatment of negative cash flows as were used for cash flow testing (except that if negative cash flow is modeled by borrowing, the actuary needs to make sure that the amount and cost of borrowing are reasonable for that particular scenario of the C-3 testing) The other differences are the interest scenarios themselves and how the results are used.

- The actuary must also assure that the cash flow testing used for the 50 or 12 scenarios does not double count cash flow offsets to the interest rate risks. That is that the calculations do not reduce C-3 and another RBC component for the same margins. For example, certain reserve margins on some guaranteed separate account products serve an AVR role and are credited against the C-1 requirement. To that degree, these margins should be removed from the reserve used for C-3 testing.
- Sensitivity testing of key assumptions such as lapses is required.

Next Steps

Although this report is our final recommendation for “Phase I” of our project, at least two areas of unfinished business remain:

a) Review of the Outcomes of this Revised Approach

The C-3 result under this recommendation is limited to between half and twice the current factors. This was done in part to limit the severity of the impact of the change until the results of this method could be evaluated. Substantial testing of this approach was done for a variety of products and portfolios, but, unlike most of the prior changes to Risk Based Capital, the industry-wide impact of this change couldn’t be measured in advance. If the industry-wide results (both statistical and anecdotal) show a distribution of outcomes that seems believable, it may be desirable to widen this range. If the results are puzzling, then we would want to pursue further research to evaluate the outliers.

b) Expansion to Equity Indexed and Variable products

Aside from a guaranteed fixed option within a variable product, these two product groups require modeling beyond the scope of our “Phase I” project, since they also involve behavior of indices or of funds. Expanding the C3 work to encompass these products in a more refined manner than today is appropriate in the future.

Appendix I - Scenario Testing Methodology

General Approach

1. Use the same asset and liability model(s) as used for year-end Asset Adequacy Analysis cash flow testing, or a consistent model.
2. Run the scenarios (12 or 50) produced from the interest-rate scenario generator. These scenarios come from a randomly generated set of 200 scenarios and were selected because they have the greatest likelihood of producing a C-3 result at least as great as that determined by using all 200 scenarios. The other scenarios can be characterized as more "level" and less volatile than the selected set.
3. The statutory surplus result, S(t), should be captured for every scenario for each calendar year-end of the testing period. The surplus result is equal to statutory assets less statutory liabilities for the portfolio.
4. For each scenario, the C-3 measure is the most negative of the series of present values S(t)*pv(t), where pv(t) is the accumulated discount factor for t years using 105% of the after-tax one-year Treasury rates for that scenario. In other words:

$$pv(t) = \prod_1^t 1/(1+i_t)$$

5. Rank the scenario-specific C-3 measures in descending order, that is from the largest need for capital to the smallest. Scenario rank 1's measure is the largest amount needed to eliminate the very worst pv result.
6. The final C-3 requirement is calculated as the weighted average of a subset of the ranked scenario specific C-3 results.

a) For the 50 scenario set, the C-3 results are multiplied by the following series of weights:

----- Weighting Table -----

Scenario Rank:	17	16	15	14	13	12	11	10	9	8	7	6	5
Weight:	.02	.04	.06	.08	.10	.12	.16	.12	.10	.08	.06	.04	.02

The sum of these products is the C-3 requirement for this product.

- b) For the 12 scenario set, the C-3 requirement is calculated as the average of the C-3 results for the scenarios ranked 2 and 3, but cannot be less than half the worst scenario result.

7. If multiple asset/liability portfolios are tested and aggregated, the aggregate C-3 requirement can be derived by first summing the $S(t)$'s from all the portfolios (by scenario) and then following steps 4 through 6. An alternative method is to calculate the C-3 result by scenario for each product, sum them by scenario, rank-order them, and then apply the above weights. If some products are tested with 12 scenarios and some with 50, aggregation can only be done within like scenario sets.

Single Scenario C-3 Measurement Considerations

1. **GENERAL METHOD** - this approach incorporates interim values, consistent with approach used for bond, mortgage and mortality RBC factor quantification. The approach establishes the risk measure in terms of an absolute level of risk (e.g., solvency) rather than volatility around an expected level of risk. It also recognizes reserve margins, to the degree that such margins haven't been recognized for or used to offset other RBC requirements.
2. **INITIAL ASSETS = RESERVES** - consistent with Appointed Actuary practice, the asset adequacy cash flow models are run with initial assets equal to reserves; that is, no surplus assets are used.
3. **AVR** – Although AVR and related assets are usually included in initial assets for Asset Adequacy cash flow testing, they should not be included in the initial assets used in the C-3 modeling. These assets are available for future credit loss deviations over and above expected credit losses. These deviations are covered by C-1 RBC requirements. Similarly, future AVR contributions should not be modeled. However, expected credit losses, which are not covered by C-1, should be modeled.
4. **IMR** –The IMR reserve, assets, and run-off schedule associated with a category (a) product should be included in that product's cash flow modeling for determination of RBC. If a callable asset is called below carrying value, the IMR modeling should reflect the impact of that loss.
5. **INTERIM MEASURE** - retained statutory surplus $S(t)$ (i.e., statutory assets less statutory liabilities) is used as the year-to-year interim measure.
6. **TESTING HORIZONS** - surplus adequacy should be tested over a period that extends to a point at which contributions to surplus on a closed block are immaterial in relationship to the analysis. If some products are being cash flow tested for Asset Adequacy Analysis over a longer period than the 30 years generated by the interest rate scenario generator, the scenario rates should be held constant at the year 30 level for all future years. A consistent testing horizon is required for all lines tested if the C-3 results from different lines of business are to be aggregated.

7. **TAX TREATMENT** - the tax treatment should be the same as that used for Asset Adequacy Analysis. Disclosure of tax assumptions may be required.
8. **REINVESTMENT STRATEGY** - the reinvestment strategy should be the same as that used for Asset Adequacy Analysis cash flow testing.
9. **DISINVESTMENT STRATEGY** – In general, negative cash flows should be handled just as they are in the Asset Adequacy Analysis. The one caveat is that, since the RBC scenarios are more severe, models that depend on borrowing need to be reviewed to be confident that loans in the necessary volume are likely to be available at a rate consistent with the model’s assumptions for that scenario. If not, adjustments need to be made.

If negative cash flows are met by selling assets, then appropriate modeling of contributions and withdrawals to the IMR needs to be reflected.

10. **STATUTORY PROFITS RETAINED** - the measure is based on a profits retained model, anticipating that statutory net income earned one period is retained to support capital requirements in future periods. In other words, no stockholder dividends are assumed to be paid, but policyholder dividends, excess interest, declared rates, etc. are assumed to be paid or credited consistent with company practice.
11. **LIABILITY and ASSET ASSUMPTIONS** - the liability and asset assumptions should be those used in Asset Adequacy Analysis modeling. Disclosure of these assumptions may be required.
12. **SENSITIVITY TESTING** – Key assumptions shall be stress tested (e.g. lapses increased by 50%) to evaluate sensitivity of the resulting C-3 requirement to the various assumptions made by the actuary. Disclosure of these results may be required.

Appendix II - Frequently Asked Questions

1. Where can the scenario generator be found? What is needed to run it?

The scenario generator is a Microsoft Excel spreadsheet. By entering the Treasury yield curve at the date for which the testing is done, it will generate the sets of 50 or 12 interest rate scenarios. It requires Windows 95 or higher. This spreadsheet and the instructions are available on the NAIC website (www.naic.org) or at www.barnert.com. It is also available on diskette from the Academy of Actuaries.

2. The results of the scenario testing may be sensitive information in some instances. How can it be kept confidential?

As provided for in Section 8 of the Risk-Based Capital (RBC) For Insurers Model Act, all information in support of and provided in the RBC Reports (to the extent the information therein is not required to be set forth in a publicly available annual statement schedule) with respect to any domestic or foreign insurer which is filed with the commissioner constitute information that might be damaging to the insurer if made available to its competitors, and therefore shall be kept confidential by the commissioner. This information shall not be made public or be subject to subpoena, other than by the commissioner and then only for the purpose of enforcement actions taken by the commissioner under the RBC For Insurers Model Act or any other provision of the insurance laws of the state.

3. The definition of the annuities category talks about “debt incurred for funding an investment account...”. Could you give a specific description of what is intended?

One example is a situation where an insurer is borrowing under an advance agreement with a federal home loan bank, under which agreement collateral, on a current market value basis, is required to be maintained with the bank. This arrangement has many of the characteristics of a GIC, but is classified as debt.

4. The instructions specify that the same assumptions are to be used as for Asset Adequacy Analysis, but my company cash flow tests a combination of Universal Life and annuities for that analysis and using the same assumptions will produce incorrect results. What was intended in this situation?

Where this situation exists, assumptions should be used for the Risk Based Capital work which are consistent with those used for the other testing. In other words, the assumptions used should be appropriate for the annuity component being evaluated for RBC and consistent with the overall assumption set used for Asset Adequacy Analysis.

5. Can a company test other products voluntarily and aggregate the results?

No, only the products identified can be scenario tested and aggregated for RBC.

Appendix III - Technical Aspects of the Scenario Generator and the Scenario Selection Process

The model used to generate the interest rate scenarios for the C-3 RBC project is a stochastic variance model with mean reversion. A number of different models and assumptions were examined before this one was chosen. The exact formulas, parameters, and assumptions of the stochastic variance model are given in Section A.

STOCHASTIC VARIANCE MODEL: DEVELOPMENT AND VALIDATION

The Committee examined and analyzed a number of different models, parameters, and assumptions. The goal was to develop a model which would reproduce as closely as possible certain historical relationships and patterns. We examined minimum and maximum interest rates, the number and length of interest rate inversions, and the absolute and relative distribution of interest rates. The exact statistics which were analyzed, along with the historical and scenario-generated numbers, are given in Section B.

Based on historical data (monthly yields from January, 1951 through December, 1995), it was obvious that neither a normal nor lognormal model could accurately simulate the observed change in interest rates. Interest rate movements had been more “peaked” and “fat-tailed” than that suggested by either distribution, in addition to other shortcomings. As a result, the normal and lognormal distributions were both rejected as potential models, since it was behavior on the tails of the distribution that Risk Based Capital is most focused on.

After a significant amount of experimentation, the Committee finally arrived at an appropriate model, a generalized stochastic variance model with mean reversion. As stated earlier, the exact specifications are in Section A. The initial parameters were derived from a parameter estimation model which applies maximum likelihood estimation techniques to observed, historical data (1951-1995). Four different variables were modeled: the natural log of the long-term (20-year) rate, the natural log of the monthly variance of the long-term rate, the excess of the short-term (1-year) rate over the long-term rate, and the natural log of the monthly variance of the previously defined “excess”.

The first attempt at estimating the parameters resulted in long-term rates which reproduced historical patterns very closely. Unfortunately, they did not do a very good job of reproducing the tendencies of short-term rates. In order to correct the problem, we experimented with the parameters and later, re-examined the historical data.

The historical data showed that the absolute difference between the short-term and long-term rate closely resembled a normal distribution. Below is a table showing this result. The table has been “normalized”, meaning that the numbers are given in terms of standard deviations away from the mean. The data has a mean of -80 basis points and a standard deviation of 120 basis points.

ABSOLUTE DIFFERENCE BETWEEN THE SHORT-TERM AND LONG-TERM
RATE
"NORMALIZED" HISTORICAL DATA

Number of Standard Deviations <u>Away From Mean</u>	Number of <u>Observations</u>
5	0
4	1
3	4
2	28
1	132
0	202
-1	126
-2	32
-3	3
-4	0
-5	0

In the above table, “0” standard deviations mean an observation is between one-half and negative one-half standard deviations from the mean , “1” means an observation is between one-half and 1 and one-half standard deviations from the mean, etc.

Since the absolute difference essentially follows a normal distribution, a constant variance, rather than a stochastic one, was used for modeling this particular term. Based on the historical data, the standard deviation of the change in the difference between the short-term and long-term rate is 0.381%.

The parameter estimation model was rerun using the previously stated changes to determine new equations and parameters. 100 random scenarios were generated and examined. Since the absolute difference (between the short-term and long-term rate) was being modeled, this sometimes resulted in a slightly negative short-term rate. As a fix, any month the short-term rate falls below 0.4%, the historical minimum, it is set at 25% of the long-term rate. Although this approach is not scientific, it happens very rarely and does not materially effect the overall results of the generator.

With the slight modification just described, 100 new scenarios were created. Once again, long-term rates looked very good. Short-term rates, while closer to historical trends, still had a couple of significant problems. Inversions occurred about 18% of the time, well above the historical levels of 13.45%. In addition, there were too many times when the short-term rate exceeded the long-term rate by over 300 basis points, a situation which has only occurred once historically.

After more experimentation, the problems were solved by strengthening the effect of the mean reversion term (in the formula generating the excess of the short-term over the long-term rate). The factor was increased from its derived level of 0.022 to 0.042. None of the other parameters or formulas were altered. (These are the equations in Section A.)

With the new mean reversion term, results were achieved which were excellent in many areas and reasonable in the others. Long-term rates looked very good, as always. The occurrence of an inversion was reduced to 14.09% of the time, compared to the historical level of 13.45%. In addition, there were only 62 months, out of a possible 36,000, when the short-term rate exceeded the long-term rate by over 300 basis points (0.17% of the time). This corresponds closely to reality, since it has only happened once in the 528-month period studied, or 0.19% of the time.

Section B has a series of tables which summarize the generated scenarios, and compares them to their historical (1951-1995) averages. The first table shows, in broad categories, the distribution of the long-term rate and the difference between the short and long-term rate on an absolute (non-normalized) basis. The second table shows, on a normalized basis (as previously defined), the distribution of the change in the long-term rate and the distribution of the short-term minus the long-term rate. The final table shows the historical and generated distribution of interest rate inversions. For all tables, the historical numbers have been increased proportionately so that the number of historical observations and the number of generated observations are equal.

It should also be noted that the statistics in Section B are at least a little dependent on the starting yield curve. In particular, a significantly different starting point could noticeably impact the non-normalized distribution of long-term rates. However, its impact on the other statistics would be minimal. It does not change any of the conclusions reached about the validity of the stochastic variance model.

The yield curve on which the statistics are based is given below:

TREASURY YIELD CURVE AS OF 9-30-96

3-Month: 5.14%	3-Year: 6.28%	10-Year: 6.72%
6-Month: 5.37%	5-Year: 6.46%	20-Year: 7.05%
1-Year: 5.71%	7-Year: 6.60%	30-Year: 6.93%
2-Year: 6.10%		

DERIVATION OF THE TREASURY YIELD CURVE

After the 1-year (short-term) and 20-year (long-term) coupon rates have been generated, the remainder of the treasury yield curve is derived from various interpolation and iterative formulas. First the 3-month treasury is calculated as a linear function of the 1-year and 20-year rates. The equation (given in Section C) comes from a linear regression performed on the monthly treasury coupon rates covering the period from March, 1977 through May, 1997.

The 3-month and 20-year coupon rates serve as the starting point for calculating the other treasury rates (6-month, 1-year, 2-year, 3-year, 5-year, 7-year, 10-year, and 30-year). We decided to interpolate using forward rates rather than coupon rates, in order to prevent unintended and in some cases, unrealistic results.

The first thing that was done was convert the historical coupon-paying yield curves into historical forward curves. Since our data was limited to 10 points along the yield curve (listed above), forward rates were only calculated at the same 10 points. The key assumption used in calculating the historical forwards is that forward rates remain constant in between maturities. For example, the 21-year, 22-year,..., and 29-year forward rates are all assumed equal to the 20-year forward. This is different than PTS, which uses linear interpolation to get at rates between maturities.

Linear regressions were performed on the calculated forward rates. Each forward rate was represented as a linear function of the 3-month and 20-year forward. (The regression equations are given in Section C.) Initially the 30-year forward was a linear function of the 3-month and 20-year forwards, just like the other rates. Unfortunately, the 30-year regression equation produced very unrealistic results, so the simplifying assumption was made to set the 30-year forward equal to the 20-year forward.

Given the interpolation formulas and the generated 3-month and 20-year coupon rates, the remainder of the coupon yield curve is derived using an iterative process. The first step is to set the 3-month forward rate equal to the 3-month coupon rate. A first estimate of the 20-year forward is then made. Given the 3-month and 20-year forwards, the other forward rates are calculated using the regression equations in Section C. Once the forward curve has been generated, it is used to derive the corresponding coupon-paying curve. If the derived 20-year coupon rate equals the previously generated 20-year coupon rate, we have a “legitimate” treasury yield curve and the process stops. Otherwise, another estimate of the 20-year forward is made using a Newton-Raphson process, and the iterations continue until the 20-year derived rate is equal to the 20-year generated rate. This process is done for every year in which random interest rates are generated.

Underlying the entire process is the random number generator, which has been taken directly from the book “Numerical Recipes in C”. For a given initial seed, the generator always produces the identical series of random numbers in identical order. This means that the random characteristics of the generated scenarios will be the same whatever the initial yield curve. The characteristics of a scenario refers to the level of interest rates (high or low interest rate environment), and the shape of the yield curve (increasing, flat, or inverted).

Appendix III - Section A

Interest Rate Generator for C-3 Project

The generator contains three variables which vary over time, plus one constant:

- f_t The natural log of the long term interest rate at time t .
- j_t The excess of the short term rate over the long term rate at time t .
- q_t The natural log of the monthly variance of f_t .
- J_t The natural log of the monthly variance of j_t (the constant).

Each of these variables (except J_t) will be assumed to follow a mean reverting random process. f_t and j_t will be modeled with monthly time steps, while q_t will be modeled with an annual time step. J_t is assumed to be constant.

The following equations govern the evolution of q_t and J_t :

$$q_{t+1} = q_t - 2.40 - .347q_t + .59v_t^q$$

$$J_t = \ln((0.0038091)^2) \quad (0.381\% = \text{the average historical monthly volatility from 1951-1995})$$

$$16\% = \text{the assumed correlation between the natural log of the long term interest rate, and the excess of the short rate over the long rate}$$

where v_t^q is an independent random variable with unit variance distributed according to a normal distribution.

In the following formulas for f_t and j_t assume that q_t and J_t for t between n and $n+1$ are equal to their respective values at n .

$$f_{t+\frac{1}{12}} = f_t - .0048(f_t - \ln(.0655)) + .210(j_t + .0105) + e^{\frac{q_t}{2}} v_t^f$$

$$j_{t+\frac{1}{12}} = j_t - .042(j_t + .0105) - .00024(f_t - \ln(.0655)) + e^{\frac{J_t}{2}} (.16v_t^f + \sqrt{1-.16^2} v_t^j)$$

where v_t^f and v_t^j are independent standard random normal variables.

Appendix III - Section B

TABLE 1: NON-NORMALIZED (ABSOLUTE) RATES

1a. Distribution of the Long-Term Rate

<u>Rate</u>	<u>Count</u>	
	<u>Historical</u>	<u>Generated</u>
> 16%	0	220
14% - 16%	340	294
12% - 14%	1976	702
10% - 12%	2724	2037
8% - 10%	7084	4960
6% - 8%	8379	13,144
< 6%	15,396	14,543

LONG-TERM STATISTICS

	<u>Historical</u>	<u>Generated</u>
Minimum:	2.53%	1.30%
Maximum:	15.38%	20.32%
Average:	6.73%	6.76%

1b. Distribution of (Short-Term Rate) - (Long-Term Rate), in Basis Points

<u>Difference</u>	<u>Count</u>	
	<u>Historical</u>	<u>Generated</u>
>400	0	7
300-400	67	55
200-300	466	307
100-200	1666	1747
0-100	6466	5296
(-100) - 0	12,467	9238
(-200) - (-100)	9733	10,518
(-300) - (-200)	3733	6441
(-400) - (-300)	1334	1999
< (-400)	67	392

SHORT-TERM MINUS LONG-TERM STATISTICS (IN BASIS POINTS)

	<u>Historical</u>	<u>Generated</u>
Minimum:	-423	-564
Maximum:	368	477
Average:	-80	-109

TABLE 2: “NORMALIZED” STATISTICS

<u>Number of Standard Deviations</u>	CHANGE IN LONG-TERM RATE (SHORT) MINUS (LONG)			
	Count		Count	
	<u>Historical</u>	<u>Generated</u>	<u>Historical</u>	<u>Generated</u>
5	0	38	0	0
4	68	100	68	24
3	341	343	273	239
2	1635	1704	1909	2259
1	7153	7449	9000	8434
0	17,235	16,270	13,773	13,683
-1	7153	7980	8591	9166
-2	1771	1651	2182	2035
-3	477	290	205	160
-4	68	54	0	0
-5	0	21	0	0

TABLE 3: LENGTH AND SEVERITY OF INTEREST RATE INVERSIONS

<u>Length of Inversion In Months</u>	Count	
	<u>Historical</u>	<u>Generated</u>
0 - 6	476	363
6-12	204	85
12-24	68	75
24-36	0	29
36-48	0	17
48-72	0	7

Note: The number of times there is an inversion differs between the historical and generated scenarios by a significant amount. There are 748 historical inversions, increased proportionately for 100 monthly scenarios, compared to 576 generated ones. However, the number of months an inversion exists is very close to historical --- 14.09% of the time compared to 13.45% (historical).

Appendix III - Section C

1. INITIAL COUPON AND FORWARD RATES

$$\text{3-Month Coupon} = 1.1785 * (\text{1-Year Coupon}) - 0.2616 * (\text{20-Year Coupon}) + 0.0045$$

$$\text{3-Month Forward} = \text{3-Month Coupon}$$

2. FORWARD RATE INTERPOLATION FORMULAS

<- - - - Regression Co-Efficients - - - - >

<u>Forward Rate</u>	<u>3-Month Forward</u>	<u>20-Year Forward</u>	<u>Constant</u>
6-Month	0.99276	0.11358	-0.00436
1-Year	0.86814	0.19985	-0.00316
2-Year	0.62614	0.48208	-0.00649
3-Year	0.55221	0.51409	-0.00415
5-Year	0.40933	0.62311	-0.00003
7-Year	0.32122	0.68682	0.00320
10-Year	0.30691	0.60731	0.01102

$$\text{30-Year Forward} = \text{20-Year Forward}$$

Appendix IV - AAA C-3 Pilot Testing: Selecting the 50 & 12 Scenario Subsets

Cash flow testing models developed in support of year-end 1996 Appointed Actuary efforts were used to evaluate the new C-3 approach on a pilot basis. Models for six blocks of in-force liabilities were tested for the following product types:

- Guaranteed Investment Contracts
- Single Premium Immediate Annuities
- Single Premium Deferred Annuities
- Flexible Premium Deferred Annuities
- Group Pensions - Reg. 128-Payable Annuities
- Group Pension – IPG/Defined Benefit

Par Life insurance was also modeled, but didn't generate a C-3 requirement, so it was not used in selecting scenario sets.

To evaluate whether the RBC measurement methodology was appropriately sensitive to alternative asset strategies (including some extreme ones), the liability portfolios were run using a set of eight stylized investment strategies below. Besides strategies that would be considered to be well managed, the set includes portfolios with exposures to duration mismatch and portfolios with exposures to call-option risk.

- Non-callable A-rated Bonds – bullet (liability duration-matched)
- Non-callable A-rated Bonds – ladder (liability duration-matched)
- Non-callable A-rated Bonds – extreme bar-bell (liability duration-matched)
- Non-callable A-rated Bonds – ladder (asset duration greater than liability by three years)
- Non-callable A-rated Bonds – ladder (asset duration less than liability by two years)
- Residential Mortgage Pass-Thrus (liability duration-matched - approximate)
- CMOs: PAC tranche (liability duration-matched - approximate)
- CMOs: support tranche (liability duration-matched - approximate)

The pilot testing consisted of running each of the 48 product type / stylized asset strategy combinations (48 Combinations) using the set of all interest rate scenarios. For each of the 48 Combinations, the accumulated statutory position was derived and captured for each calendar year over the testing horizon for all 200 scenarios.

Selection of the Scenarios and the Optimal Number

The results from each of the 48 Combinations using the full 200 scenario set were collected in a common database. Empirical analyses were performed to select a subset of the 200 scenarios such that this subset closely approximated the C-3 factors derived from the full 200-scenario set across the 48 Combinations.

In the end, 50 scenarios were selected. These scenarios can be thought of producing a C-3 factor result across a wide array of product/asset strategy combinations consistent with the larger 200-scenario set. Alternatively, the 150 (75%) scenarios not selected can be characterized as those not likely to generate a C-3 factor, and are generally more “level” and less volatile than the 50 selected. Thus, the formula used to derive the C-3 factor from the subset of 50 assumes that they come from a larger set of 200, and that testing the other 150 scenarios would not provide any material additional information adding little value relative to the extra effort.

Selecting the Subset of 50

- For each of the 48 Product (6) & Asset Strategy (8) combinations, an “actual” C-3 factor was developed using the full set of 200 scenarios. The C-3 factor for each of the 48 Product/Asset combinations was calculated by ordering the 200 scenarios from worst-to-best using minimum surplus (a weighted average of the factors between the 92nd percentile and the 98th percentile, centered at the 95th percentile, and including ½ percentiles) as the criteria. Of the 200 scenarios, 83 of them contributed to at least one of the 48 combination’s weighted-average C-3 factors.
- Assigning an ordinal number to the sorted (worst-to-best) scenarios within each of the 48 combinations, a rank for each scenario across all combinations was determined. Sorting by rank, the 50 most frequent contributors to the calculation of all weighted-average C-3 factors were identified and an ordered, weighted-average C-3 factor was calculated for each of the 48 combinations.
- The set of “50 worst” closely reproduces the “actual” weighted-average C-3 factor for most of the 48 Combinations. The exceptions in terms of absolute C-3 factor difference were: GIC Ladder-2, SPIA Barbell, SPIA Ladder+3, SPIA CMO-Support and FPDA Barbell. These differences were deemed reasonable given that these few combinations had very high C-3 factors to start with, and thus the differences were not considered problematic.
- In the same way, 20, 30 and 40 scenario subsets were selected and tested. Compared to the 50-scenario set, there is a significant loss of “precision” that occurs when the number of scenarios is limited to 20 or 30 scenarios. The deterioration was less going from 50 to 40 scenarios, but still enough that a 50 scenario subset was deemed to be a more appropriate subset for C-3 testing. (See Attachment X).

Selecting the Subset of 12

After selecting the 50-scenario subset, additional empirical studies were conducted to determine if a yet smaller subset (10-20 scenarios) could be chosen from the 50 such that a C-3 factor result would be at least as conservative as using the 50-scenario subset. The objective was to pick a subset of the 50 such that the single worst (highest) C-3 factor of the subset was at least as great as the C-3 factor derived from the full 200 set. Thus, if a

company were to use this limited subset, their work effort might be reduced with the likelihood of a more conservative C-3 factor.

Using a trial and error approach, a set of 12 scenarios was selected that met the objective. The analysis indicated the single worst result of the 12 scenarios produced an overly conservative C-3 factor. After some experimentation, an approach was selected that provided a more reasonable result: the average of the second worst and third worst C-3 factor, but not less than one-half the single worst factor from the subset. For the sample 48 Combinations, using the 12 scenarios and the formula approach just described produced C-3 factors 1.5 to 2.5 times the full 200-scenario factor, averaging about 1.8 times.

Two product/strategy combinations were merged to study the effects of aggregation. For both the 50-scenario subset and the 12-scenario subset, these studies yielded results that were consistent with the expected benefits of aggregation. The results for the 12-scenario subset were also consistent with the level of conservatism found in the non-aggregated 48 Combinations. This latter result provided further assurance that using the 12-scenario subset would generate a more conservative result than the 50-scenario subset.

Attachment Y provides a pictorial perspective of the five-year rates across 30 years for the 12-scenario subset.













Attachment Z provides some statistics related the 200-scenario set. The first page of the attachment contains the 50 scenarios selected to be used for C-3 testing. The first 12 (shaded) are the subset of the 50 that can be used in the abbreviated testing. Not unexpectedly, the scenario statistic “scenario description” over the first 10 years has very few “levels” in the 50 and none in the 12. These “levels” are very prevalent in the 150 scenarios not selected. This is consistent with the notion that more “C-3” information is contained in the non-level scenarios.

Attachment X - AAA C-3 Pilot Testing: Results from the "50" Scenario Subset

Results of "Top 50" (and Variations Thereof) C-3 Factor Calculation, by Product and Asset Strategy

"Top 50" Scenario Key		Product & Strategy Code		Weighted Average C-3 Factor (92nd - 98th Percentiles, Centered at 95th)								
				Actual "Full 200" C-3 Factor	"Top 50" short- C-3 Factor fall	"Top 40" short- C-3 Factor fall	"Top 30" short- C-3 Factor fall	"Top 20" short- C-3 Factor fall				
New	Original	Code	Product Strategy									
1	2	1	Bullet	0.83%	0.67%	0.16%	0.61%	0.21%	0.53%	0.29%	0.37%	0.46%
2	8	2	Ladder	0.23%	0.23%	0.00%	0.23%	0.00%	0.22%	0.00%	0.22%	0.01%
3	11	3	Barbell	2.98%	2.98%	0.00%	2.77%	0.21%	2.65%	0.34%	1.84%	1.14%
4	12	4	Ladder+3	5.40%	5.40%	0.00%	5.40%	0.00%	5.38%	0.02%	4.53%	0.87%
5	18	5	Ladder-2	2.09%	1.74%	0.34%	1.46%	0.63%	0.98%	1.11%	0.31%	1.78%
6	24	6	Mortgage PT	-0.53%	-0.55%	0.02%	-0.56%	0.03%	-0.59%	0.06%	-0.62%	0.09%
7	25	7	CMO-Pac	2.54%	2.45%	0.09%	2.44%	0.10%	2.40%	0.14%	2.26%	0.29%
8	27	8	CMO-Support	7.53%	7.28%	0.25%	7.24%	0.29%	6.89%	0.64%	2.83%	4.70%
9	35	9	Bullet	0.99%	0.84%	0.15%	0.29%	0.70%	-0.41%	1.41%	-2.18%	3.17%
10	41	10	Ladder	-2.96%	-3.03%	0.07%	-3.03%	0.07%	-3.06%	0.10%	-3.17%	0.21%
11	43	11	S Barbell	14.44%	11.78%	2.66%	10.29%	4.15%	6.43%	8.01%	3.97%	10.47%
12	50	12	P Ladder+3	14.30%	13.81%	0.49%	13.68%	0.62%	13.53%	0.77%	9.67%	4.63%
13	54	13	I Ladder-2	3.91%	3.89%	0.03%	3.73%	0.19%	-0.35%	4.27%	-2.28%	6.19%
14	55	14	A Mortgage PT	9.53%	9.53%	0.00%	9.53%	0.00%	9.38%	0.16%	8.23%	1.30%
15	60	15	CMO-Pac	1.22%	1.20%	0.01%	0.76%	0.46%	0.07%	1.15%	-1.31%	2.52%
16	63	16	CMO-Support	32.25%	30.44%	1.80%	30.23%	2.01%	30.16%	2.09%	22.06%	10.19%
17	64	17	Bullet	1.84%	1.57%	0.27%	1.48%	0.36%	1.40%	0.44%	0.56%	1.27%
18	73	18	Ladder	1.78%	1.73%	0.05%	1.67%	0.11%	1.56%	0.22%	0.77%	1.01%
19	74	19	S Barbell	8.92%	8.90%	0.02%	8.86%	0.05%	8.56%	0.36%	6.87%	2.04%
20	76	20	P Ladder+3	5.69%	5.69%	0.00%	5.69%	0.00%	5.59%	0.10%	4.75%	0.94%
21	80	21	D Ladder-2	2.21%	2.18%	0.03%	2.03%	0.17%	1.54%	0.67%	0.84%	1.37%
22	83	22	A Mortgage PT	7.00%	7.00%	0.00%	7.00%	0.00%	6.76%	0.24%	6.44%	0.56%
23	88	23	CMO-Pac	5.18%	5.18%	0.00%	5.18%	0.00%	4.94%	0.24%	4.57%	0.61%
24	92	24	CMO-Support	11.50%	11.50%	0.00%	11.50%	0.00%	11.02%	0.48%	10.53%	0.97%
25	95	25	Bullet	2.20%	2.20%	0.00%	2.20%	0.00%	2.18%	0.02%	0.58%	1.62%
26	99	26	Ladder	2.13%	2.13%	0.00%	2.13%	0.00%	2.13%	0.00%	1.75%	0.38%
27	107	27	F Barbell	14.04%	13.01%	1.03%	12.78%	1.26%	11.94%	2.10%	8.57%	5.47%
28	117	28	P Ladder+3	9.33%	9.32%	0.01%	9.29%	0.04%	9.02%	0.31%	7.52%	1.81%
29	121	29	D Ladder-2	-0.12%	-0.16%	0.05%	-0.18%	0.06%	-0.18%	0.06%	-0.28%	0.16%
30	129	30	A Mortgage PT	11.38%	11.38%	0.00%	11.38%	0.00%	10.87%	0.50%	10.16%	1.22%
31	133	31	CMO-Pac	6.53%	6.48%	0.04%	6.48%	0.04%	6.09%	0.43%	5.40%	1.12%
32	138	32	CMO-Support	16.05%	16.05%	0.00%	16.05%	0.00%	15.16%	0.89%	14.05%	2.00%
33	145	33	R Bullet	0.54%	0.30%	0.24%	0.29%	0.24%	0.05%	0.49%	-0.18%	0.72%
34	148	34	E Ladder	-0.48%	-0.56%	0.07%	-0.58%	0.10%	-0.59%	0.11%	-0.65%	0.17%
35	151	35	G Barbell	2.04%	2.03%	0.01%	1.87%	0.17%	1.83%	0.21%	1.30%	0.75%
36	153	36	1 Ladder+3	3.16%	3.14%	0.02%	3.03%	0.13%	3.03%	0.13%	2.13%	1.03%
37	155	37	2 Ladder-2	1.71%	1.59%	0.12%	1.47%	0.24%	0.99%	0.72%	0.39%	1.32%
38	156	38	8 Mortgage PT	9.25%	9.21%	0.04%	8.47%	0.78%	4.81%	4.44%	1.67%	7.58%
39	159	39	N CMO-Pac	6.99%	6.97%	0.02%	5.91%	1.07%	3.05%	3.94%	0.93%	6.05%
40	160	40	O CMO-Support	9.24%	9.02%	0.22%	8.60%	0.63%	6.08%	3.16%	3.12%	6.12%
41	163	41	Bullet	2.03%	1.89%	0.15%	1.82%	0.21%	1.38%	0.66%	0.88%	1.15%
42	164	42	I Ladder	-0.12%	-0.13%	0.00%	-0.13%	0.00%	-0.13%	0.01%	-0.13%	0.01%
43	176	43	P Barbell	0.48%	0.46%	0.02%	0.45%	0.03%	0.41%	0.08%	0.35%	0.13%
44	179	44	G Ladder+3	2.98%	2.98%	0.00%	2.98%	0.00%	2.96%	0.02%	2.39%	0.58%
45	180	45	M Ladder-2	7.20%	7.02%	0.18%	5.89%	1.31%	1.96%	5.24%	0.29%	6.91%
46	181	46	F Mortgage PT	9.11%	9.10%	0.02%	8.37%	0.74%	4.73%	4.38%	2.34%	6.77%
47	185	47	L CMO-Pac	5.85%	5.71%	0.15%	5.54%	0.32%	4.86%	0.99%	3.84%	2.01%
48	195	48	CMO-Support	9.67%	9.60%	0.07%	9.31%	0.36%	6.48%	3.19%	3.32%	6.35%
49	198											
50	199											
Mean Shortfall from Actual "Full 200" C-3 Factor:					0.19%	0.38%	1.15%	2.46%				

Attachment Y- Graphs of the 5-Year Rates for the "12" Scenario Subsets, Over All Scenario Years



Attachment Z - AAA C-3 Pilot Testing: the 200 Scenarios ; "12" Scenario Subset (subset 1, shaded); "50" Scenario Subset

(subset 1 &2)

Descriptions of the Sequential Movement in Average 5-Year Treasury Rates over Selected Years Within Each Scenario

Met Life 9/30/96 "Annual" Scenarios

06-Aug-99

(Level Band is +/- 2% from Initial 5-Year Rate of 6.5%)

Subset	Scenario	STATISTICS OVER 10 YEARS										STATISTICS OVER 30 YEARS								
		AVERAGE 5-YEAR TREASURY RATE OVER YEARS				Scenario	MIN		MAX		AVG. 5-YEAR TREASURY RATE OVER YEARS			Scenario	MIN		MAX			
		0	1 and 2	3 thru 5	6 thru 10		5-Year Rate	In Year	5-Year Rate	In Year	11 thru 15	16 thru 20	21 thru 30		5-Year Rate	In Year	5-Year Rate	In Year		
1	11	6.5%	Level Band	Level Band	> 14.5%	up		3.8%	3	16.4%	7	> 10.5%	> 10.5%	Level Band	up/down		3.1%	27	16.4%	7
1	18	6.5%	Level Band	< 4.5%	< 4.5%	down		2.3%	7	6.5%	0	< 4.5%	< 2.5%	< 4.5%	down/up		1.6%	22	6.5%	0
1	25	6.5%	Level Band	< 4.5%	< 2.5%	down		1.2%	10	7.1%	1	< 4.5%	Level Band	Level Band	down/up	Yes	1.1%	11	7.9%	30
1	41	6.5%	Level Band	> 10.5%	> 10.5%	up		6.5%	0	12.7%	7	> 8.5%	Level Band	< 4.5%	up/down		2.3%	28	12.7%	7
1	60	6.5%	Level Band	Level Band	> 8.5%	up		5.3%	3	10.3%	10	> 10.5%	> 14.5%	> 14.5%	up		5.3%	3	19.5%	27
1	80	6.5%	Level Band	< 4.5%	< 4.5%	down		2.6%	7	6.5%	0	< 4.5%	> 8.5%	> 10.5%	down/up		2.6%	7	17.0%	30
1	88	6.5%	Level Band	> 10.5%	> 10.5%	up		6.5%	0	14.0%	5	> 10.5%	> 8.5%	Level Band	up/down		6.5%	0	14.0%	5
1	95	6.5%	Level Band	< 4.5%	< 4.5%	down		2.8%	9	6.5%	1	< 2.5%	< 2.5%	< 4.5%	down/up	Yes	1.3%	13	6.5%	1
1	107	6.5%	Level Band	> 8.5%	> 10.5%	up		5.7%	1	13.4%	10	> 10.5%	> 10.5%	> 10.5%	up		5.7%	1	18.0%	25
1	145	6.5%	Level Band	< 4.5%	< 2.5%	down		1.6%	10	6.6%	1	< 4.5%	Level Band	Level Band	down/up	Yes	1.6%	10	7.2%	26
1	179	6.5%	Level Band	> 10.5%	> 14.5%	up		5.6%	1	16.1%	6	> 14.5%	> 8.5%	Level Band	up/down		5.6%	1	16.1%	6
1	195	6.5%	Level Band	Level Band	> 10.5%	up		5.1%	3	15.2%	7	> 10.5%	> 10.5%	> 8.5%	up/down		5.1%	3	15.3%	20
2	2	6.5%	Level Band	Level Band	> 8.5%	up		4.6%	3	14.5%	10	> 10.5%	> 8.5%	> 8.5%	up/down		4.6%	3	18.5%	11
2	8	6.5%	Level Band	< 4.5%	< 4.5%	down		2.3%	5	6.5%	0	Level Band	< 4.5%	< 2.5%	down/up/down		1.9%	24	6.5%	0
2	12	6.5%	Level Band	> 8.5%	> 8.5%	up		6.5%	0	10.5%	9	> 8.5%	Level Band	Level Band	up/down		4.8%	23	10.8%	16
2	24	6.5%	Level Band	< 4.5%	Level Band	down/up	Yes	2.9%	4	6.5%	0	Level Band	Level Band	Level Band	down/up	Yes	2.9%	4	10.6%	29
2	27	6.5%	Level Band	Level Band	Level Band	level		6.5%	0	12.1%	10	> 14.5%	> 8.5%	Level Band	up/down		6.2%	22	16.2%	12
2	35	6.5%	Level Band	Level Band	> 10.5%	up		4.9%	3	11.5%	10	> 10.5%	> 10.5%	> 8.5%	up/down		4.9%	3	15.7%	24
2	43	6.5%	Level Band	Level Band	< 4.5%	down		3.3%	9	7.0%	3	< 2.5%	< 4.5%	< 4.5%	down/up	Yes	1.5%	14	7.0%	3
2	50	6.5%	Level Band	Level Band	< 4.5%	down		2.5%	10	8.0%	2	< 4.5%	Level Band	Level Band	down/up	Yes	2.5%	10	8.0%	2
2	54	6.5%	Level Band	> 8.5%	Level Band	up/down		4.7%	10	9.3%	4	Level Band	Level Band	Level Band	up/down		3.8%	21	10.7%	30
2	55	6.5%	Level Band	Level Band	< 4.5%	down		3.3%	6	6.7%	1	< 4.5%	< 4.5%	< 4.5%	down		2.0%	16	6.7%	1
2	63	6.5%	Level Band	> 8.5%	> 10.5%	up		6.5%	0	12.2%	7	> 10.5%	> 10.5%	> 8.5%	up/down		4.7%	29	14.8%	16
2	64	6.5%	Level Band	< 4.5%	< 4.5%	down		2.2%	9	6.5%	0	< 2.5%	< 2.5%	< 4.5%	down/up	Yes	1.6%	15	6.5%	0
2	73	6.5%	Level Band	> 8.5%	> 10.5%	up		6.5%	0	13.4%	7	> 10.5%	> 8.5%	> 10.5%	up/down/up		6.5%	0	14.5%	29
2	74	6.5%	Level Band	> 8.5%	> 8.5%	up		6.5%	0	11.2%	5	> 8.5%	> 8.5%	Level Band	up/down		3.8%	29	11.7%	15
2	76	6.5%	Level Band	< 4.5%	< 4.5%	down		3.3%	10	6.5%	0	Level Band	Level Band	Level Band	down/up		3.3%	10	8.4%	25
2	83	6.5%	Level Band	Level Band	> 8.5%	up	Yes	6.3%	1	12.5%	8	Level Band	Level Band	Level Band	up/down	Yes	4.6%	20	12.5%	8
2	92	6.5%	Level Band	< 4.5%	< 4.5%	down		3.0%	7	6.8%	1	Level Band	Level Band	Level Band	down/up		2.9%	27	6.8%	1
2	99	6.5%	Level Band	Level Band	> 10.5%	up		5.2%	1	14.4%	9	> 8.5%	> 8.5%	Level Band	up/down		2.8%	30	14.4%	9
2	117	6.5%	Level Band	Level Band	> 8.5%	up		5.4%	2	12.2%	9	> 10.5%	> 10.5%	> 10.5%	up		5.4%	2	16.9%	28
2	121	6.5%	Level Band	Level Band	> 10.5%	up	Yes	6.5%	0	12.9%	10	> 10.5%	Level Band	< 4.5%	up/down	Yes	2.6%	21	14.8%	11
2	129	6.5%	Level Band	> 8.5%	> 8.5%	up		6.5%	0	11.1%	8	Level Band	Level Band	Level Band	up/down	Yes	4.9%	29	11.1%	8
2	133	6.5%	Level Band	Level Band	> 10.5%	up		5.8%	1	14.9%	9	Level Band	Level Band	Level Band	up/down		5.3%	19	14.9%	9
2	138	6.5%	Level Band	> 8.5%	Level Band	up/down	Yes	6.1%	10	10.2%	4	Level Band	Level Band	> 10.5%	up/down/up	Yes	5.5%	17	15.2%	23
2	148	6.5%	Level Band	> 8.5%	> 8.5%	up		6.5%	0	12.4%	9	> 10.5%	> 10.5%	Level Band	up/down		5.1%	30	14.7%	18
2	151	6.5%	Level Band	Level Band	> 8.5%	up		6.0%	3	11.1%	8	> 10.5%	> 8.5%	> 8.5%	up/down		6.0%	3	11.2%	14
2	153	6.5%	Level Band	< 4.5%	< 4.5%	down		2.3%	7	6.9%	1	< 4.5%	< 4.5%	Level Band	down/up	Yes	2.3%	7	6.9%	1
2	155	6.5%	Level Band	Level Band	Level Band	level		5.8%	1	7.7%	8	> 10.5%	> 14.5%	> 10.5%	up/down		5.8%	1	17.5%	19
2	156	6.5%	Level Band	Level Band	> 8.5%	up		6.1%	1	10.3%	8	> 10.5%	> 10.5%	> 10.5%	up		6.1%	1	12.8%	25
2	159	6.5%	Level Band	< 4.5%	< 4.5%	down		3.0%	10	6.5%	0	< 4.5%	Level Band	> 10.5%	down/up	Yes	3.0%	10	15.7%	29
2	160	6.5%	Level Band	> 8.5%	> 8.5%	up		6.0%	1	12.6%	6	Level Band	Level Band	Level Band	up/down	Yes	3.1%	28	12.6%	6
2	163	6.5%	Level Band	< 4.5%	< 4.5%	down		2.5%	10	6.5%	0	< 4.5%	< 4.5%	< 4.5%	down	Yes	2.5%	10	6.5%	0
2	164	6.5%	Level Band	Level Band	< 4.5%	down		2.8%	10	6.5%	0	< 4.5%	< 4.5%	< 4.5%	down	Yes	2.1%	11	6.5%	0
2	176	6.5%	> 8.5%	> 10.5%	> 8.5%	up/down		6.5%	0	12.3%	4	> 10.5%	> 8.5%	Level Band	up/down/up/down		3.2%	25	12.5%	14
2	180	6.5%	Level Band	> 10.5%	> 8.5%	up/down		5.8%	10	12.4%	4	Level Band	< 4.5%	Level Band	up/down/up		3.4%	15	12.4%	4
2	181	6.5%	Level Band	Level Band	< 4.5%	down		3.0%	10	6.5%	0	< 4.5%	< 4.5%	Level Band	down/up		2.2%	19	6.5%	26
2	185	6.5%	Level Band	Level Band	< 4.5%	down		3.1%	7	6.5%	0	Level Band	Level Band	Level Band	down/up		3.1%	7	9.7%	27
2	198	6.5%	Level Band	< 4.5%	< 4.5%	down		3.7%	8	6.5%	0	Level Band	Level Band	> 10.5%	down/up	Yes	3.7%	8	12.8%	29
2	199	6.5%	Level Band	< 4.5%	Level Band	down/up		3.4%	4	6.5%	0	< 2.5%	< 4.5%	< 4.5%	down/up/down/up	Yes	1.2%	26	6.5%	0

Attachment Z - AAA C-3 Pilot Testing: the 200 Scenarios ; "12" Scenario Subset (subset 1, shaded); "50" Scenario Subset

(subset 1 &2)

Descriptions of the Sequential Movement in Average 5-Year Treasury Rates over Selected Years Within Each Scenario

Met Life 9/30/96 "Annual" Scenarios

06-Aug-99

(Level Band is +/- 2% from Initial 5-Year Rate of 6.5%)

Subset	Scenario	STATISTICS OVER 10 YEARS										STATISTICS OVER 30 YEARS								
		AVERAGE 5-YEAR TREASURY RATE OVER YEARS				Scenario		MIN		MAX		AVG. 5-YEAR TREASURY RATE OVER YEARS			Scenario		MIN		MAX	
		0	1 and 2	3 thru 5	6 thru 10	Description	Inversion	5-Year Rate	In Year	5-Year Rate	In Year	11 thru 15	16 thru 20	21 thru 30	Description	Inversion	5-Year Rate	In Year	5-Year Rate	In Year
3	1	6.5%	Level Band	Level Band	> 8.5%	up		5.9%	4	12.1%	10	> 10.5%	> 10.5%	Level Band	up/down		4.2%	26	12.1%	10
3	3	6.5%	Level Band	Level Band	Level Band	level		5.3%	5	7.2%	8	Level Band	< 4.5%	Level Band	down/up		3.7%	17	9.1%	30
3	4	6.5%	Level Band	Level Band	Level Band	level		6.0%	2	8.2%	6	Level Band	Level Band	Level Band	level		6.0%	16	9.3%	25
3	5	6.5%	Level Band	Level Band	Level Band	level		5.4%	1	7.5%	8	Level Band	Level Band	Level Band	level		4.1%	22	9.4%	30
3	6	6.5%	Level Band	Level Band	Level Band	level	Yes	6.0%	2	8.2%	8	> 8.5%	Level Band	Level Band	up/down	Yes	5.8%	25	9.6%	12
3	7	6.5%	Level Band	Level Band	Level Band	level		4.5%	10	8.9%	5	Level Band	Level Band	Level Band	level	Yes	4.2%	11	10.0%	30
3	9	6.5%	Level Band	Level Band	Level Band	level		6.1%	9	8.2%	2	< 4.5%	Level Band	Level Band	down/up	Yes	3.1%	14	8.2%	2
3	10	6.5%	Level Band	Level Band	Level Band	level		5.4%	2	8.1%	4	Level Band	Level Band	Level Band	level		4.0%	13	11.3%	30
3	13	6.5%	Level Band	Level Band	Level Band	level		5.6%	8	7.7%	10	Level Band	Level Band	< 4.5%	down		2.4%	24	8.1%	11
3	14	6.5%	Level Band	< 4.5%	Level Band	level		3.9%	5	8.9%	8	Level Band	Level Band	Level Band	level	Yes	3.9%	5	9.6%	24
3	15	6.5%	Level Band	Level Band	Level Band	level		5.8%	8	7.1%	10	Level Band	Level Band	< 4.5%	down		2.3%	26	7.3%	30
3	16	6.5%	Level Band	Level Band	< 4.5%	down/up		3.2%	7	8.2%	2	Level Band	Level Band	Level Band	down/up		3.2%	7	8.5%	30
3	17	6.5%	Level Band	Level Band	> 8.5%	up		6.5%	0	10.7%	8	> 8.5%	Level Band	Level Band	up/down		3.3%	28	10.7%	8
3	19	6.5%	Level Band	Level Band	Level Band	level		4.9%	5	10.0%	9	Level Band	Level Band	Level Band	level		4.9%	5	10.0%	9
3	20	6.5%	Level Band	Level Band	Level Band	level		4.6%	10	7.1%	6	< 4.5%	< 4.5%	< 2.5%	down		1.6%	21	7.1%	6
3	21	6.5%	Level Band	Level Band	Level Band	level	Yes	6.5%	0	8.0%	4	Level Band	Level Band	Level Band	level	Yes	5.8%	25	10.8%	15
3	22	6.5%	Level Band	Level Band	Level Band	level		6.5%	0	8.3%	9	Level Band	Level Band	Level Band	level	Yes	4.1%	19	8.3%	9
3	23	6.5%	Level Band	Level Band	Level Band	level		6.4%	1	8.8%	3	Level Band	Level Band	Level Band	level		3.4%	28	9.2%	23
3	26	6.5%	Level Band	Level Band	Level Band	level		6.3%	10	8.0%	4	Level Band	< 4.5%	< 4.5%	down	Yes	2.5%	21	8.0%	4
3	28	6.5%	Level Band	Level Band	Level Band	level		6.0%	3	9.1%	10	Level Band	Level Band	Level Band	level		5.6%	24	9.1%	10
3	29	6.5%	Level Band	Level Band	Level Band	level		4.9%	10	7.1%	6	Level Band	Level Band	> 10.5%	up		4.7%	11	16.5%	27
3	30	6.5%	Level Band	Level Band	Level Band	level		4.7%	2	6.6%	3	Level Band	Level Band	Level Band	level		3.9%	15	8.4%	25
3	31	6.5%	Level Band	Level Band	< 4.5%	down		2.9%	10	6.5%	0	< 4.5%	< 4.5%	Level Band	down/up		2.9%	10	6.5%	0
3	32	6.5%	Level Band	Level Band	Level Band	level		3.6%	10	6.6%	2	< 4.5%	< 4.5%	< 4.5%	down		1.9%	13	6.6%	2
3	33	6.5%	Level Band	Level Band	Level Band	level		4.9%	10	8.6%	7	< 4.5%	Level Band	Level Band	down/up	Yes	3.2%	11	8.6%	7
3	34	6.5%	Level Band	Level Band	Level Band	level		4.5%	3	6.5%	8	< 4.5%	Level Band	< 4.5%	down/up/down		3.4%	26	6.5%	8
3	36	6.5%	Level Band	Level Band	> 8.5%	up		6.5%	0	11.3%	10	> 10.5%	Level Band	Level Band	up/down		4.1%	19	12.2%	11
3	37	6.5%	Level Band	Level Band	> 8.5%	up/down		4.9%	3	9.2%	9	Level Band	< 4.5%	< 4.5%	up/down		2.7%	24	9.2%	9
3	38	6.5%	Level Band	Level Band	Level Band	level		6.5%	0	8.9%	10	Level Band	> 8.5%	Level Band	up/down		6.5%	0	9.4%	17
3	39	6.5%	Level Band	Level Band	< 4.5%	down		3.6%	9	6.7%	1	< 4.5%	< 4.5%	< 4.5%	down	Yes	2.8%	14	6.7%	1
3	40	6.5%	Level Band	Level Band	Level Band	level		5.7%	5	7.0%	3	Level Band	Level Band	> 8.5%	up	Yes	5.7%	5	12.5%	30
3	42	6.5%	Level Band	Level Band	Level Band	level		4.6%	10	6.6%	2	Level Band	Level Band	Level Band	level		4.6%	10	7.1%	25
3	44	6.5%	Level Band	Level Band	Level Band	level		5.2%	10	8.2%	4	< 4.5%	> 8.5%	Level Band	down/up/down	Yes	2.4%	28	10.3%	19
3	45	6.5%	Level Band	< 4.5%	Level Band	down/up		3.7%	4	8.6%	10	Level Band	< 4.5%	Level Band	down/up/down/up		2.5%	20	8.6%	10
3	46	6.5%	Level Band	Level Band	> 8.5%	up		6.3%	5	9.9%	9	> 8.5%	> 10.5%	> 10.5%	up		6.3%	5	12.8%	23
3	47	6.5%	Level Band	Level Band	< 4.5%	down		3.5%	7	6.9%	2	Level Band	< 4.5%	Level Band	down/up/down/up	Yes	2.9%	21	7.0%	26
3	48	6.5%	Level Band	Level Band	Level Band	level		4.9%	9	6.5%	0	Level Band	Level Band	Level Band	level	Yes	4.9%	9	9.0%	21
3	49	6.5%	Level Band	Level Band	Level Band	level		5.9%	10	9.0%	4	Level Band	Level Band	Level Band	level		4.7%	30	9.0%	4
3	51	6.5%	Level Band	Level Band	Level Band	level		4.5%	2	6.5%	7	Level Band	Level Band	Level Band	level	Yes	3.4%	27	8.0%	16
3	52	6.5%	Level Band	Level Band	Level Band	level		3.8%	6	7.7%	2	Level Band	> 8.5%	> 10.5%	up	Yes	3.8%	6	18.7%	24
3	53	6.5%	Level Band	Level Band	Level Band	level		5.6%	8	7.4%	10	Level Band	> 10.5%	Level Band	up/down	Yes	5.6%	8	14.0%	19
3	56	6.5%	Level Band	Level Band	Level Band	level		4.9%	3	6.5%	0	< 2.5%	< 4.5%	Level Band	down/up		2.1%	13	6.5%	0
3	57	6.5%	Level Band	Level Band	Level Band	level		4.6%	2	8.1%	6	Level Band	< 4.5%	< 4.5%	down	Yes	2.9%	19	8.1%	6
3	58	6.5%	Level Band	Level Band	Level Band	level	Yes	6.2%	3	7.3%	10	Level Band	Level Band	Level Band	level	Yes	5.4%	17	9.7%	27
3	59	6.5%	Level Band	Level Band	> 8.5%	up		5.8%	5	9.6%	9	> 8.5%	Level Band	Level Band	up/down		4.8%	24	9.9%	20
3	61	6.5%	Level Band	Level Band	Level Band	level		4.1%	9	6.5%	0	< 4.5%	Level Band	> 8.5%	down/up		3.2%	11	15.2%	25
3	62	6.5%	Level Band	Level Band	Level Band	level	Yes	4.6%	4	8.0%	1	> 10.5%	> 8.5%	< 4.5%	up/down	Yes	2.1%	30	13.6%	15
3	65	6.5%	Level Band	Level Band	Level Band	level		3.5%	10	7.2%	3	< 4.5%	Level Band	Level Band	down/up		3.5%	10	9.1%	22
3	66	6.5%	Level Band	Level Band	< 4.5%	down		3.8%	9	7.0%	3	Level Band	Level Band	Level Band	down/up		3.5%	12	7.0%	3
3	67	6.5%	Level Band	Level Band	Level Band	level		5.1%	10	8.9%	4	Level Band	Level Band	Level Band	level		3.3%	20	8.9%	4

Attachment Z - AAA C-3 Pilot Testing: the 200 Scenarios ; "12" Scenario Subset (subset 1, shaded); "50" Scenario Subset

(subset 1 &2)

Descriptions of the Sequential Movement in Average 5-Year Treasury Rates over Selected Years Within Each Scenario

Met Life 9/30/96 "Annual" Scenarios

06-Aug-99

(Level Band is +/- 2% from Initial 5-Year Rate of 6.5%)

Subset	Scenario	STATISTICS OVER 10 YEARS										STATISTICS OVER 30 YEARS								
		AVERAGE 5-YEAR TREASURY RATE OVER YEARS				Scenario	MIN		MAX		AVG. 5-YEAR TREASURY RATE OVER YEARS			Scenario	MIN		MAX			
		0	1 and 2	3 thru 5	6 thru 10		5-Year Rate	In Year	5-Year Rate	In Year	11 thru 15	16 thru 20	21 thru 30		5-Year Rate	In Year	5-Year Rate	In Year		
3	68	6.5%	Level Band	Level Band	Level Band	level	Yes	5.9%	3	8.1%	6	Level Band	Level Band	Level Band	level	Yes	3.0%	15	8.1%	6
3	69	6.5%	Level Band	Level Band	< 4.5%	down		3.6%	8	7.0%	2	< 4.5%	< 4.5%	< 4.5%	down	Yes	2.3%	30	7.0%	2
3	70	6.5%	Level Band	Level Band	Level Band	level		5.5%	6	6.7%	9	Level Band	Level Band	Level Band	level	Yes	5.3%	20	7.6%	24
3	71	6.5%	Level Band	< 4.5%	Level Band	down/up		3.7%	4	6.5%	0	Level Band	> 10.5%	Level Band	down/up/down		3.7%	4	13.0%	19
3	72	6.5%	Level Band	Level Band	Level Band	level		6.5%	0	8.9%	5	Level Band	> 8.5%	> 8.5%	up		6.4%	12	10.2%	26
3	75	6.5%	Level Band	> 8.5%	> 8.5%	up		6.5%	0	9.6%	4	< 4.5%	< 4.5%	Level Band	up/down/up		2.9%	19	9.6%	4
3	77	6.5%	Level Band	> 8.5%	> 8.5%	up		6.5%	0	9.9%	10	> 8.5%	> 8.5%	Level Band	up/down		2.9%	29	10.6%	11
3	78	6.5%	Level Band	Level Band	> 8.5%	up		5.5%	1	9.3%	10	> 8.5%	Level Band	Level Band	up/down		4.2%	26	10.6%	13
3	79	6.5%	Level Band	Level Band	Level Band	level	Yes	5.2%	4	6.8%	3	Level Band	Level Band	Level Band	level	Yes	5.2%	4	9.7%	15
3	81	6.5%	Level Band	> 8.5%	Level Band	up/down		5.6%	10	9.1%	5	Level Band	Level Band	Level Band	up/down		4.9%	25	9.1%	5
3	82	6.5%	Level Band	Level Band	Level Band	level		5.6%	4	8.8%	10	> 8.5%	Level Band	Level Band	up/down		4.0%	21	10.2%	14
3	84	6.5%	Level Band	Level Band	Level Band	level	Yes	6.4%	1	8.8%	6	Level Band	Level Band	> 8.5%	up	Yes	5.1%	20	12.7%	29
3	85	6.5%	Level Band	Level Band	Level Band	level		4.5%	7	6.8%	10	Level Band	< 4.5%	Level Band	down/up	Yes	3.3%	19	8.0%	27
3	86	6.5%	Level Band	Level Band	Level Band	level		4.4%	10	6.9%	1	Level Band	Level Band	Level Band	level	Yes	3.8%	11	8.7%	30
3	87	6.5%	Level Band	Level Band	Level Band	level		5.3%	3	9.2%	10	> 8.5%	Level Band	> 8.5%	up/down/up		5.3%	3	11.0%	11
3	89	6.5%	Level Band	Level Band	Level Band	level		5.7%	1	7.8%	7	Level Band	Level Band	Level Band	level	Yes	3.4%	16	7.8%	7
3	90	6.5%	Level Band	Level Band	Level Band	level		4.1%	5	6.7%	1	Level Band	Level Band	Level Band	level		4.1%	5	7.2%	24
3	91	6.5%	Level Band	Level Band	> 8.5%	up		6.5%	0	10.4%	10	Level Band	< 4.5%	< 4.5%	up/down	Yes	2.6%	26	10.4%	10
3	93	6.5%	Level Band	Level Band	> 8.5%	up		4.3%	4	10.0%	8	Level Band	Level Band	Level Band	up/down		4.3%	4	10.0%	8
3	94	6.5%	Level Band	Level Band	Level Band	level		6.2%	6	7.3%	3	Level Band	Level Band	Level Band	level	Yes	3.7%	27	8.6%	12
3	96	6.5%	Level Band	Level Band	< 4.5%	down		3.4%	7	7.1%	3	Level Band	Level Band	Level Band	down/up		3.0%	30	8.6%	17
3	97	6.5%	Level Band	Level Band	Level Band	level		6.0%	8	8.4%	5	Level Band	> 8.5%	> 8.5%	up		6.0%	8	13.8%	26
3	98	6.5%	Level Band	Level Band	Level Band	level		6.1%	4	9.5%	10	> 10.5%	Level Band	Level Band	up/down	Yes	4.1%	22	12.1%	12
3	100	6.5%	Level Band	< 4.5%	< 4.5%	down		3.8%	5	6.5%	0	Level Band	Level Band	Level Band	down/up	Yes	3.4%	24	6.7%	16
3	101	6.5%	Level Band	Level Band	Level Band	level	Yes	5.2%	3	8.5%	9	Level Band	Level Band	Level Band	level	Yes	3.9%	30	8.5%	9
3	102	6.5%	Level Band	Level Band	> 8.5%	up		3.9%	3	9.9%	10	> 8.5%	Level Band	Level Band	up/down		3.9%	3	10.4%	11
3	103	6.5%	Level Band	Level Band	Level Band	level		4.2%	10	8.7%	3	Level Band	Level Band	Level Band	level	Yes	4.2%	10	9.9%	28
3	104	6.5%	Level Band	Level Band	< 4.5%	down		4.1%	10	7.1%	2	< 4.5%	Level Band	> 10.5%	down/up		3.1%	12	13.3%	28
3	105	6.5%	Level Band	< 4.5%	< 4.5%	down		3.6%	10	6.5%	0	< 4.5%	Level Band	Level Band	down/up	Yes	2.7%	11	7.1%	30
3	106	6.5%	Level Band	Level Band	Level Band	level		4.1%	7	7.1%	1	Level Band	Level Band	Level Band	level		4.1%	7	7.8%	29
3	108	6.5%	Level Band	Level Band	< 4.5%	down		3.4%	10	6.8%	2	< 4.5%	Level Band	Level Band	down/up		2.6%	11	9.0%	29
3	109	6.5%	Level Band	Level Band	Level Band	level		6.5%	0	8.7%	6	> 8.5%	> 10.5%	Level Band	up/down		4.8%	25	13.1%	15
3	110	6.5%	Level Band	Level Band	Level Band	level		5.0%	5	6.5%	0	Level Band	Level Band	> 10.5%	up		5.0%	5	12.7%	24
3	111	6.5%	Level Band	Level Band	Level Band	level		6.5%	0	8.4%	4	Level Band	< 4.5%	Level Band	down/up	Yes	3.0%	20	8.4%	4
3	112	6.5%	Level Band	Level Band	Level Band	level		5.7%	5	8.6%	10	> 8.5%	> 8.5%	Level Band	up/down		3.5%	26	12.7%	14
3	113	6.5%	Level Band	Level Band	Level Band	level		4.3%	9	6.5%	5	< 4.5%	Level Band	< 4.5%	down/up/down	Yes	3.1%	26	6.5%	5
3	114	6.5%	Level Band	Level Band	< 4.5%	down		3.0%	10	6.9%	1	< 4.5%	< 4.5%	Level Band	down/up		2.4%	17	8.4%	30
3	115	6.5%	Level Band	Level Band	> 8.5%	up		6.5%	0	11.6%	10	Level Band	> 10.5%	> 10.5%	up/down/up		6.5%	0	16.2%	24
3	116	6.5%	Level Band	Level Band	Level Band	level		3.9%	10	9.4%	3	Level Band	Level Band	Level Band	level		3.9%	10	9.4%	3
3	118	6.5%	Level Band	Level Band	Level Band	level	Yes	4.3%	4	9.3%	10	> 8.5%	Level Band	Level Band	up/down	Yes	4.1%	29	9.3%	13
3	119	6.5%	Level Band	Level Band	Level Band	level		6.2%	10	7.7%	3	Level Band	> 14.5%	> 8.5%	up/down		5.5%	11	17.8%	18
3	120	6.5%	Level Band	Level Band	Level Band	level		4.8%	8	6.5%	0	Level Band	> 8.5%	Level Band	up/down		4.8%	8	10.7%	20
3	122	6.5%	Level Band	Level Band	Level Band	level		5.0%	9	7.1%	3	Level Band	Level Band	Level Band	level		3.6%	15	7.1%	3
3	123	6.5%	Level Band	Level Band	Level Band	level		3.7%	6	6.6%	3	Level Band	Level Band	> 8.5%	up		3.7%	6	13.0%	26
3	124	6.5%	Level Band	Level Band	Level Band	level		5.8%	3	7.0%	1	Level Band	Level Band	Level Band	level	Yes	3.6%	20	7.0%	1
3	125	6.5%	Level Band	< 4.5%	< 4.5%	down		3.0%	6	6.5%	1	Level Band	Level Band	Level Band	down/up		3.0%	6	8.6%	26
3	126	6.5%	Level Band	Level Band	Level Band	level		6.2%	6	8.4%	3	Level Band	Level Band	> 10.5%	up		4.5%	13	13.6%	23
3	127	6.5%	Level Band	Level Band	Level Band	level		4.0%	8	6.5%	0	Level Band	Level Band	Level Band	level		4.0%	8	12.6%	21
3	128	6.5%	Level Band	Level Band	Level Band	level	Yes	5.2%	7	8.4%	10	Level Band	Level Band	Level Band	level	Yes	3.8%	29	8.7%	11
3	130	6.5%	Level Band	Level Band	Level Band	level		5.1%	10	8.3%	5	Level Band	> 8.5%	Level Band	up/down		4.3%	28	11.9%	20

Attachment Z - AAA C-3 Pilot Testing: the 200 Scenarios ; "12" Scenario Subset (subset 1, shaded); "50" Scenario Subset

(subset 1 &2)

Descriptions of the Sequential Movement in Average 5-Year Treasury Rates over Selected Years Within Each Scenario

Met Life 9/30/96 "Annual" Scenarios

06-Aug-99

(Level Band is +/- 2% from Initial 5-Year Rate of 6.5%)

Subset	Scenario	STATISTICS OVER 10 YEARS										STATISTICS OVER 30 YEARS								
		AVERAGE 5-YEAR TREASURY RATE OVER YEARS				Scenario Description	MIN		MAX		AVG. 5-YEAR TREASURY RATE OVER YEARS			Scenario Description	MIN		MAX			
		0	1 and 2	3 thru 5	6 thru 10		5-Year Rate	In Year	5-Year Rate	In Year	11 thru 15	16 thru 20	21 thru 30		5-Year Rate	In Year	5-Year Rate	In Year		
3	131	6.5%	Level Band	Level Band	Level Band	level		5.6%	9	8.9%	6	Level Band	< 4.5%	< 4.5%	down	Yes	2.5%	23	8.9%	6
3	132	6.5%	Level Band	Level Band	> 8.5%	up		6.2%	1	10.2%	8	> 8.5%	Level Band	Level Band	up/down		4.9%	29	10.2%	8
3	134	6.5%	Level Band	Level Band	> 8.5%	up		5.9%	3	11.9%	7	Level Band	Level Band	Level Band	up/down	Yes	4.6%	23	11.9%	7
3	135	6.5%	Level Band	Level Band	Level Band	level		4.7%	10	7.2%	4	< 4.5%	Level Band	Level Band	down/up	Yes	3.7%	14	7.2%	4
3	136	6.5%	> 8.5%	> 8.5%	Level Band	up/down		6.5%	0	9.7%	2	< 4.5%	< 4.5%	Level Band	up/down/up	Yes	2.4%	16	9.7%	2
3	137	6.5%	Level Band	Level Band	Level Band	level		5.9%	2	7.6%	5	Level Band	Level Band	> 8.5%	up		5.9%	18	12.1%	24
3	139	6.5%	Level Band	Level Band	< 4.5%	down		3.0%	10	6.8%	1	< 4.5%	Level Band	< 4.5%	down/up/down		2.9%	11	6.8%	1
3	140	6.5%	Level Band	Level Band	Level Band	level		5.1%	7	6.5%	0	Level Band	Level Band	Level Band	level	Yes	3.4%	30	6.6%	24
3	141	6.5%	Level Band	Level Band	Level Band	level		5.3%	7	7.6%	2	> 8.5%	Level Band	< 4.5%	up/down		3.0%	30	10.4%	13
3	142	6.5%	Level Band	Level Band	Level Band	level		4.3%	8	6.7%	4	Level Band	Level Band	Level Band	level		4.3%	8	7.9%	14
3	143	6.5%	Level Band	Level Band	Level Band	level		6.1%	2	9.4%	9	> 8.5%	> 10.5%	> 8.5%	up/down		5.8%	29	11.7%	21
3	144	6.5%	Level Band	Level Band	> 8.5%	level		6.2%	5	10.2%	8	Level Band	Level Band	Level Band	up/down		3.3%	30	10.2%	8
3	146	6.5%	Level Band	Level Band	Level Band	level		5.8%	5	7.2%	2	Level Band	Level Band	Level Band	level		4.7%	21	8.8%	27
3	147	6.5%	Level Band	Level Band	Level Band	level		4.6%	4	6.8%	7	Level Band	Level Band	Level Band	level		4.1%	19	7.6%	30
3	149	6.5%	Level Band	Level Band	Level Band	level		3.2%	10	7.9%	3	< 4.5%	Level Band	Level Band	down/up		2.3%	12	7.9%	3
3	150	6.5%	Level Band	Level Band	< 4.5%	down		4.1%	10	6.5%	0	< 4.5%	Level Band	> 10.5%	down/up	Yes	2.7%	13	12.8%	22
3	152	6.5%	Level Band	Level Band	Level Band	level		4.8%	8	8.6%	2	Level Band	Level Band	Level Band	level		3.4%	21	8.6%	2
3	154	6.5%	Level Band	Level Band	Level Band	level		6.0%	1	8.3%	4	Level Band	Level Band	Level Band	level		3.7%	29	8.3%	4
3	157	6.5%	Level Band	< 4.5%	< 4.5%	down		3.9%	8	6.6%	1	Level Band	> 10.5%	> 14.5%	down/up	Yes	3.9%	8	20.1%	28
3	158	6.5%	Level Band	Level Band	Level Band	level		6.0%	1	9.0%	5	Level Band	Level Band	< 4.5%	down		3.1%	23	9.1%	12
3	161	6.5%	Level Band	< 4.5%	Level Band	down/up		4.2%	4	6.9%	10	Level Band	Level Band	Level Band	down/up		4.0%	27	9.4%	22
3	162	6.5%	Level Band	Level Band	Level Band	level		4.6%	3	6.5%	0	Level Band	< 4.5%	Level Band	down/up	Yes	3.8%	19	6.9%	25
3	165	6.5%	Level Band	Level Band	< 4.5%	down		3.8%	7	7.0%	2	< 4.5%	Level Band	Level Band	down/up	Yes	3.1%	12	7.9%	29
3	166	6.5%	Level Band	Level Band	Level Band	level		4.8%	7	7.8%	4	< 4.5%	< 4.5%	< 2.5%	down	Yes	0.9%	28	7.8%	4
3	167	6.5%	Level Band	Level Band	Level Band	level	Yes	4.8%	6	8.2%	9	Level Band	Level Band	Level Band	level	Yes	3.7%	29	8.2%	9
3	168	6.5%	Level Band	Level Band	Level Band	level	Yes	3.7%	7	7.5%	3	Level Band	Level Band	< 4.5%	down	Yes	2.6%	28	8.8%	14
3	169	6.5%	Level Band	< 4.5%	> 8.5%	down/up		4.1%	4	10.9%	10	> 10.5%	Level Band	Level Band	down/up/down	Yes	4.0%	29	15.2%	13
3	170	6.5%	Level Band	Level Band	Level Band	level		4.4%	8	6.5%	0	Level Band	Level Band	Level Band	level		4.4%	8	9.0%	15
3	171	6.5%	Level Band	Level Band	Level Band	level		5.9%	4	9.4%	7	Level Band	Level Band	> 8.5%	up	Yes	4.0%	18	15.0%	28
3	172	6.5%	Level Band	Level Band	Level Band	level		5.1%	8	7.0%	1	Level Band	Level Band	> 8.5%	up		5.1%	8	10.6%	25
3	173	6.5%	Level Band	Level Band	> 8.5%	up		6.5%	0	10.2%	10	> 8.5%	> 10.5%	> 8.5%	up/down		6.5%	0	14.2%	20
3	174	6.5%	Level Band	Level Band	> 8.5%	up		6.2%	1	11.4%	8	> 8.5%	> 8.5%	> 8.5%	up		6.2%	1	11.4%	8
3	175	6.5%	Level Band	Level Band	< 4.5%	down		3.5%	10	8.3%	3	Level Band	Level Band	Level Band	down/up		2.2%	30	8.3%	3
3	177	6.5%	Level Band	Level Band	> 8.5%	up	Yes	6.4%	3	9.6%	6	Level Band	> 10.5%	Level Band	up/down/up/down	Yes	4.4%	30	13.9%	18
3	178	6.5%	Level Band	Level Band	Level Band	level		5.2%	10	8.6%	5	Level Band	> 10.5%	> 8.5%	up/down		4.9%	11	15.0%	30
3	182	6.5%	Level Band	Level Band	< 4.5%	down		3.8%	9	7.0%	1	< 4.5%	< 4.5%	Level Band	down/up		2.7%	15	7.3%	30
3	183	6.5%	Level Band	Level Band	Level Band	level	Yes	4.7%	10	8.2%	2	Level Band	Level Band	> 10.5%	up	Yes	3.9%	11	12.6%	29
3	184	6.5%	Level Band	Level Band	Level Band	level		3.6%	10	7.3%	4	Level Band	< 4.5%	Level Band	down/up	Yes	2.9%	18	10.5%	30
3	186	6.5%	Level Band	Level Band	Level Band	level		5.5%	10	7.1%	7	Level Band	Level Band	Level Band	level		3.9%	25	8.1%	15
3	187	6.5%	Level Band	Level Band	Level Band	level		5.5%	4	7.3%	8	Level Band	Level Band	Level Band	level	Yes	4.3%	22	7.6%	17
3	188	6.5%	Level Band	Level Band	Level Band	level		4.3%	4	6.5%	0	Level Band	Level Band	< 4.5%	down		3.3%	23	6.5%	30
3	189	6.5%	Level Band	Level Band	Level Band	level		4.3%	3	6.8%	1	Level Band	Level Band	> 8.5%	up	Yes	3.9%	12	11.5%	25
3	190	6.5%	Level Band	Level Band	Level Band	level		5.6%	6	7.6%	10	Level Band	Level Band	Level Band	level		4.6%	29	9.1%	12
3	191	6.5%	Level Band	Level Band	Level Band	level	Yes	4.7%	8	8.0%	4	Level Band	< 4.5%	< 4.5%	down	Yes	2.7%	21	8.0%	4
3	192	6.5%	Level Band	Level Band	< 4.5%	down		3.8%	8	7.3%	3	< 4.5%	< 4.5%	< 4.5%	down		1.5%	21	7.3%	3
3	193	6.5%	Level Band	Level Band	Level Band	level		5.4%	10	7.5%	2	Level Band	Level Band	> 8.5%	up	Yes	4.6%	13	11.8%	21
3	194	6.5%	Level Band	Level Band	Level Band	level		5.7%	6	7.0%	2	Level Band	Level Band	Level Band	level		3.8%	13	9.0%	29
3	196	6.5%	Level Band	> 8.5%	Level Band	up/down		5.3%	10	9.2%	4	< 4.5%	Level Band	Level Band	up/down/up		3.5%	13	9.2%	4
3	197	6.5%	Level Band	> 8.5%	Level Band	up/down		6.4%	9	9.3%	6	Level Band	< 4.5%	< 2.5%	up/down	Yes	1.5%	29	9.3%	6
3	200	6.5%	Level Band	Level Band	Level Band	level		3.6%	10	6.5%	0	< 4.5%	Level Band	Level Band	down/up		2.2%	15	6.6%	29

DRAFT
1999 NAIC Life Risk-Based Capital Report

Including
Instructions for C-3



as of December 31, 2000

Confidential
when Completed

NAIC

National Association
of Insurance Commissioners

INTEREST RATE RISK

LR022

Basis of Factors

The interest rate risk is the risk of losses due to changes in interest rate levels. The factors chosen represent the surplus necessary to provide for a lack of synchronization of asset and liability cash flows.

Companies Not Filing a Section 8 Actuarial Opinion

The impact of interest rate changes will be greatest on those products where the guarantees are most in favor of the policyholder and where the policyholder is most likely to be responsive to changes in interest rates. Therefore, the baseline risk categories vary by withdrawal provision. Factors for each risk category were developed based on the assumption of well matched asset and liability durations. A loading of 50 percent was then added on to represent the extra risk of less well matched portfolios.

The risk categories are:

(a) Low Risk Category

The basic risk-based capital developed for annuities in the low risk category was based on an assumed asset/liability duration mismatch of 0.125 (i.e., a well matched portfolio). This durational gap was combined with a possible 4 percent one-year swing in interest rates (the maximum historical interest rate swing 95 percent of the time) to produce a factor of 0.0050. In addition to the 50 percent loading discussed above, the risk-based capital factor is 0.0075.

With the introduction of variable policy loan interest rates, life insurance has also assumed a low risk potential and is included in the calculation.

(b) Medium and High Risk Category

The factors for the medium and high risk categories were determined by measuring the value of the additional risk from the more discretionary withdrawal provisions based on assumptions of policyholder behavior and 1000 random interest rate scenarios. Supplementary contracts not involving life contingencies (SCNI) and dividend accumulations are included in the medium risk category due to the historical tendency of these policyholders to be relatively insensitive to interest rate changes.

Consideration is also needed for products with credited rates tied to an index as the risk of synchronization of asset and liability cash flows is tied not only to changes in interest rates but also to changes in the underlying index. In particular, equity-indexed products have recently grown in popularity with many new product variations evolving. The same C-3 factors are to be applied for equity-indexed products as for their non-indexed counterparts, i.e., based on guaranteed values ignoring those related to the index.

Companies Filing a Section 8 Actuarial Opinion

Companies, which submit an unqualified Section 8 opinion under the revised Standard Valuation Law, are eligible for a credit of one-third of the RBC above.

In addition, any company with a Section 8 opinion may have to calculate part of their RBC under a different method. Because of widespread use of increasingly well disciplined scenario testing for Section 8 Actuarial Opinion Asset Adequacy Analysis involving Cash Flow Testing (CFT), it was determined that a practical method of measuring the degree of asset/liability mismatch existed. It involves further scenario testing. See Appendix 1 - "C3 RBC for Certain Asset Adequacy CFT Business" for details.

Otherwise, if none of the company's Section 8 Asset Adequacy Analysis involves CFT, refer to the factors in "Companies Not Filing a Section 8 Actuarial Opinion" above.

Specific Instructions for Application of the Formula

Lines (1) through (18) deal with companies that submit Section 8 Opinions.

The Lines (19) and higher cover:

- (a) the remaining Section 8 company business that was not CFT (see Appendix 1 for details), and
- (b) business in companies that do not submit Section 8 opinions.

The calculation for risk-based capital should not include unitized separate accounts without guarantees even though they may be included in Item 11 of the Notes to Financial Statements. Separate accounts with guarantees should be included, except for certain guaranteed separate accounts as defined below. Synthetic GICs net of certain credits should be included in this section. The provisions for these credits to C-3 requirements are provided in the Separate Accounts section of the risk-based capital instructions. Experience rated pension contracts defined below should be excluded from “annuity reserves with market value adjustment” and “annuity reserves not withdrawable.” All amounts should be reported net of reinsurance, net of policy loans and adjusted for assumed and ceded modified coinsurance.

Experience rated group and individual pension business that meets all of the following five conditions is excluded from C-3 risk:

- (a) General account funded;
- (b) Reserve interest rate is carried at no greater than 4 percent and/or fund long-term interest guarantee (in excess of a year) does not exceed 4 percent;
- (c) Experience rating mechanism is immediate participation, retroactive credits, or other technique other than participating dividends; and
- (d) Either is not subject to discretionary withdrawal or is subject to market value adjustment, but only if the contractually defined lump sum market value adjustment reflects portfolio experience as well as current interest rates and is expected to pass both credit risk and rate risk to the policyholder at withdrawal. (A lump sum settlement based only on changes in prevailing rates does not meet this test. Book value cash out options meet this test as long as the present value of payments using U.S. Treasury spot rates is less than or equal to the lump sum market value on the valuation date and the policyholder does not have an option to change the payment period once payments begin);
- (e) Not CFT tested as part of a Section 8 Opinion.

Separate account business with guarantees that satisfy conditions (b) ,(d) and (e) above is excluded from C-3 risk.

Unitized separate account business with guarantees provided via guaranteed living benefits is handled as follows:

- (a) The factor is applied to the sum of reserves for the base separate account plan plus any additional reserves for guaranteed living benefits (“base amounts”). The calculation is done net of reinsurance. For purposes of the calculation, the gross reserve for the base separate account plan is reduced proportionally to the extent the guaranteed living benefits are reinsured on a proportional basis.
- (b) The policy is assigned to the medium risk category if the following two conditions are both met:
 - 1. The actuary submits an unqualified reserve adequacy opinion for the company, and
 - 2. On a seriatim basis, the fund balance for a particular policy is no less than the “effective floor,” where the “effective floor” is determined as the floor benefit accrued as of the annual statement date. For guaranteed minimum income benefits, the floor is further adjusted by multiplying by a factor of 80 percent (to account for margins to the insurer from policyholder requirement to annuitize).

Include the “base amounts” in Line (24) Column (1) of LR022 Interest Rate Risk if the two conditions above are met.

- (c) If the above two conditions are not met, the policy is assigned to the high-risk category. Include the “base amounts” in Line (29) Column (1) of LR022 Interest Rate Risk.

Structured settlements are reported in the medium risk category and consist of either immediate or deferred payout annuities that are purchased from damages received on account of personal injuries or sickness. The payments under these contracts should be excludable from the annuitants’ gross income for tax purposes under Sec 104(a)(2) of the Internal Revenue Code.

The total of all Annual Statement reserves representing exposure to C-3 risk on Line (35) should equal the following:

- Exhibit 8, Section A, Column 2, Line 0199999
- Page 2, Column 4, Line 5
- + Exhibit 8, Section B, Column 2, Line 0299999
- + Exhibit 8, Section C, Column 2, Line 0399999
- + Exhibit 10, Column 1, Line 19
- + Separate Accounts Page 3, Column 1, Line 1 through Line 5 (funds in unitized separate accounts with no underlying guaranteed minimum return and no unreinsured guaranteed living benefits should be deducted from this amount. In addition, deduct any non-CFT separate accounts with guarantees less than 4 percent, and and non-CFT experience rated pension reserves/liabilities).
- Non policyholder reserves reported on Exhibit 10
- + Exhibit 8, Column 2, Line 0700004
- + Schedule S, Part 1, Section 1, Column 11
- Schedule S, Part 3, Section 1, Column 13

Appendix 1 – C-3 RBC for Certain Asset Adequacy CFT Business

The method of developing the C-3 component is building on the work of the asset adequacy modeling, but using interest scenarios designed to help approximate the 95th percentile C-3 risk.

The revised C-3 component is to be calculated as the sum of three amounts, but subject to a minimum and maximum. The calculation is:

- a) For **Annuities or Single Premium Life Insurance** products, whether written directly or assumed through reinsurance, that the company tests for Asset Adequacy Analysis using cash flow testing, an actuary should calculate the C-3 requirement based on the same cash flow models and assumptions used and same “as-of” date as for Asset Adequacy, but with a different set of interest scenarios, and a different measurement of results. A weighted average of a subset of the scenario specific results is used to determine the C-3 requirement. **Equity indexed products** are to use the existing factors, not the results of scenario testing. If the “as-of” date of this testing is not 12/31, the ratio of the C-3 requirement to reserves on the “as-of” date is applied to the year end reserves, similarly grouped, to determine the year-end C-3 requirement for this category.
- b) For all other products (either non-cash-flow-tested or those outside the product scope defined above) the C-3 requirements are calculated using current existing factors and instructions.
- c) For **callable assets** (including IOs and similar investments) supporting surplus and reserves not tested by Asset Adequacy Analysis (whether CFT or other methods), the C-3 requirement is 50% of the excess, if any, of statement value above current call price. This calculation is to be done on an asset by asset basis.

The total C-3 component is the sum of a, b, and c, but not less than half nor more than double the C-3 component based on current factors and instructions.

- For this C-3 calc, “**annuities**” means products with the characteristics of deferred and immediate annuities, structured settlements, guaranteed separate accounts, and GICs (including synthetic GICs, and funding agreements). **Debt incurred for funding an investment account** is included if cash flow testing of the arrangement is required by the insurer’s state of domicile for Asset Adequacy Analysis. The equity-based portions of variable products are not to be included, but guaranteed fixed options within such products are. See Appendix 1b for further discussion.
- The company may use either a standard 50 scenario set of interest rates or an alternative, but more conservative, 12 scenario set (for part a, above). It may use the smaller set for some products and the larger one for others. Details of the scenario testing methodology are contained in Appendix 1a.

- In order to allow time for the additional work effort, an estimated value is permitted for the year end annual statement. For the RBC diskette filing, though, the actual C-3 results based on the scenario testing will be required. If the actual RBC value exceeds that estimated earlier in the blanks filing by more than 5%, or if the actual value triggers regulatory action, a revised filing with the NAIC and the state of domicile is required by June 15; otherwise re-filing is permitted but not required.
- The diskette submission is to be accompanied by a statement from the Appointed Actuary certifying that in his or her opinion the assumptions used for these calculations are not unreasonable for the products, scenarios, and purpose being tested. This "C-3 Assumption Statement" is required from the Appointed Actuary even if the C-3 Risk scenario testing is done by a different actuary.
- The scenario testing used for this purpose will use the same assumptions as to cash flows, assets associated with tested liabilities, future investment strategy, rate spreads, "as-of" date and how negative cash flow is reflected as are used for cash flow testing (except that if negative cash flow is modeled by borrowing, the actuary needs to make sure that the amount and cost of borrowing are reasonable for that particular scenario for C-3 testing) The other differences are the interest scenarios themselves and how the results are used.
- The actuary must also assure that the cash flow testing used for the 50 or 12 scenarios does not double count cash flow offsets to the interest rate risks. That is, that the calculations do not reduce C-3 and another RBC component for the same margins. For example, certain reserve margins on some guaranteed separate account products serve an AVR role and are credited against the C-1 requirement. To that degree, these margins should be removed from the reserve used for C-3 testing.

Appendix 1a - Scenario Testing Methodology

General Approach

1. The underlying asset and liability model(s) are those used for year-end Asset Adequacy Analysis cash flow testing, or a consistent model.
2. Run the scenarios (12 or 50) produced from the interest-rate scenario generator.
3. The statutory C&S position, S(t), should be captured for every scenario for each calendar year-end of the testing horizon. The C&S position is equal to statutory assets less statutory liabilities for the portfolio.
4. For each scenario, the C-3 measure is the most negative of the series of present values S(t)*pv(t), where pv(t) is the accumulated discount factor for t years using 105% of the after-tax one-year Treasury rates for that scenario. In other words:

$$pv(t) = \prod_{1}^t 1/(1+i_t)$$

5. Rank the scenario-specific C-3 measures in descending order, with scenario number 1's measure being the positive capital amount needed to equal the very worst pv measure.
 6. Taking the weighted average of a subset of the scenario specific C-3 scores derives the final C-3 factor.
- a) For the 50 scenario set, the C-3 scores are multiplied by the following series of weights:

----- Weighting Table -----

Scenario Rank:	17	16	15	14	13	12	11	10	9	8	7	6	5
Weight:	.02	.04	.06	.08	.10	.12	.16	.12	.10	.08	.06	.04	.02

The sum of these products is the C-3 charge for the product.

- b) For the 12 scenario set, the charge is calculated as the average of the C-3 scores ranked 2 and 3, but cannot be less than half the worst scenario score.

7. If multiple asset/liability portfolios are tested and aggregated, an aggregate C-3 factor can be derived by first summing the S(t)'s from all the portfolios (by scenario) and then following steps 2. - 6. An alternative method is to calculate the C-3 score by scenario for each product, sum them by scenario, then rank-order them and apply the above weights.

Single Scenario C-3 Measurement Considerations

1. GENERAL METHOD - this approach incorporates interim values, consistent with the approach used for bond, mortgage and mortality RBC factor quantification. The approach establishes the risk measure in terms of an absolute level of risk (e.g., solvency) rather than volatility around an expected level of risk. It also recognizes reserve conservatism, to the degree that such conservatism hasn't been used elsewhere.
2. INITIAL ASSETS = RESERVES - consistent with Appointed Actuary practice, the cash flow models are run with initial assets equal to reserves; that is, no surplus assets are used.
3. AVR - existing AVR-related assets should not be included in the initial assets used in the C-3 modeling. These assets are available for future credit loss deviations over and above expected credit losses. In cash flow modeling, expected credit losses are typically modeled without deviations. These deviations are covered by C-1 risk capital. Similarly, future AVR contributions should not be modeled.
4. IMR - IMR assets should be used for C-3 modeling. (Also see #9 – Disinvestment Strategy)
5. INTERIM MEASURE - retained statutory surplus (i.e., statutory assets less statutory liabilities) is used as the year-to-year interim measure.
6. TESTING HORIZONS - surplus adequacy should be tested over a period that extends to a point at which contributions to surplus on a closed block are immaterial in relationship to the analysis. If some products are being cash flow tested for Asset Adequacy Analysis over a longer period than the 30 years generated by the interest rate scenario generator, the scenario rates should be held constant at the year 30 level for all future years. A consistent testing horizon is important for all lines if the C-3 results from different lines of business are aggregated.
7. TAX TREATMENT - the tax treatment should be consistent with that used in Asset Adequacy Analysis. Appropriate disclosure of tax assumptions may be required.
8. REINVESTMENT STRATEGY - the reinvestment strategy should be that used in Asset Adequacy Analysis modeling.

9. **DISINVESTMENT STRATEGY** – In general, negative cash flows should be handled just as they are in the Asset Adequacy Analysis. The one caveat is that, since the RBC scenarios are more severe, models that depend on borrowing need to be reviewed to be confident that loans in the necessary volume are likely to be available under these circumstances at a rate consistent with the model’s assumptions. If not, adjustments need to be made.

If negative cash flows are handled by selling assets, then appropriate modeling of contributions and withdrawals to the IMR need to be reflected in the modeling.

10. **STATUTORY PROFITS RETAINED** - the measure is based on a profits retained model, anticipating that statutory net income earned one period is retained to support capital requirements in future periods. In other words, no stockholder dividends are withdrawn, but policyholder dividends, excess interest, declared rates, etc. are modeled realistically.
11. **LIABILITY and ASSET ASSUMPTIONS** - the liability and asset assumptions should be those used in Asset Adequacy Analysis modeling. Disclosure of these assumptions may be required.
12. **SENSITIVITY TESTING** – Key assumptions shall be stress tested (e.g. lapses increased by 50%) to evaluate sensitivity of the resulting C-3 requirement to the various assumptions made by the actuary. Disclosure of these results may be required.

Appendix 1b - Frequently Asked Questions

1. Where can the scenario generator be found? What is needed to run it?

The scenario generator is a Microsoft Excel spreadsheet. By entering the Treasury yield curve at the date for which the testing is done, it will generate the sets of 50 or 12 scenarios. It requires Windows 95 or higher. This spreadsheet and the instructions are available on the NAIC website (www.naic.org). It is also available on diskette from the American Academy of Actuaries.

2. The results of the scenario testing may be sensitive information in some instances. How can it be kept confidential?

As provided for in Section 8 of the Risk-Based Capital (RBC) For Insurers Model Act, all information in support of and provided in the RBC Reports (to the extent the information therein is not required to be set forth in a publicly available annual statement schedule), with respect to any domestic or foreign insurer, which is filed with the commissioner constitute information that might be damaging to the insurer if made available to its competitors, and therefore shall be kept confidential by the commissioner. This information shall not be made public or be subject to subpoena, other than by the commissioner and then only for the purpose of enforcement actions taken by the commissioner under the RBC For Insurers Model Act or any other provision of the insurance laws of the state.

3. The definition of the annuities category talks about “debt incurred for funding an investment account...”. Could you give a specific description of what is intended?

One example is a situation where an insurer is borrowing under an advance agreement with a federal home loan bank, under which agreement collateral, on a current market value basis, is required to be maintained with the bank. This arrangement has many of the characteristics of a GIC, but is classified as debt.

4. The instructions specify that the same assumptions are to be used as for Asset Adequacy Analysis, but my company cash flow tests a combination of Universal Life and annuities for that analysis and using the same assumptions will produce incorrect results. What was intended in this situation?

Where this situation exists, assumptions should be used for the Risk Based Capital work which are consistent with those used for the Asset Adequacy CFT testing. In other words, the assumptions used should be appropriate to the annuity component being evaluated for RBC and consistent with the overall assumption set used for Asset Adequacy Analysis.

INTEREST RATE RISK

SECTION 8 OPINIONS

	<u>Annual Statement Source</u>	(1) Statement Value	Factor	(2) RBC REQUIREMENT
(1a) Unqualified Section 8 Actuarial Opinion?	[(Y) Yes or (N) No in Column 1]			
(1b) CFT on Annuities or Single Premium Life?	[(Y) Yes or (N) No in Column 1]			
(1c) If (1b) was Yes, is the Appointed Actuary C-3 Assumption Statement attached?	[(Y) Yes or (N) No in Column 1]			
<u>Low Risk Category which were CFT</u>				
(2) Annuity Reserve with Market Value Adjustment (excluding unitized separate accounts)*	Notes to Financial Statements Item 12 Line 1.1, in part‡		CFT =	
(3) Annuity Reserve not Withdrawable (excluding structured settlements)*	Notes to Financial Statements Item 12 Line 2, in part‡		CFT =	
(4) Guaranteed Investment Contract (GIC) Reserve within 1 Year of Maturity £	Notes to Financial Statements Item 12 Various Lines, in part‡		CFT =	
(5a) Single Premium Life Insurance Reserves Net of Reinsurance	Exhibit 8 Section A Column 2 Line 0199999 in part‡			
(5b) Less Single Premium Life Policy Loans	Page 2 Line 5 in part			
(5c) Plus Modified Coinsurance Assumed Single Premium Life Reserves net of ModCo Assumed Policy Loans	Schedule S Part 1 Section 1 Column 11, in part‡			
(5d) Less Modified Coinsurance Ceded Single Premium Life Reserves net of ModCo Ceded Policy Loans	Schedule S Part 3 Section 1 Column 13, in part‡			
(5e) Single Premium Life Insurance Reserves	Line (5a) –(5b)+ (5c) - (5d)		CFT =	
(6) Total Low Risk	Lines (2) + (3) + (4) + (5e)			
<u>Medium Risk Category which were CFT</u>				
(7) Annuity Reserve at Book Value Less Surrender Charge of 5 Percent or More*	Notes to Financial Statements Item 12 Line 1.2, in part‡		CFT =	
(8) Exhibit 10 Reserve not Included in Notes to Financial Statements Item 12 §	Exhibit 10 Line 19 amounts not included in part‡		CFT =	
(9) Structured Settlements	Notes to Financial Statements Item 12 Line 2, in part‡		CFT =	
(10) Additional Actuarial Reserves for Annuities and SPL - Asset/Liability Analysis	Exhibit 8 Column 2 Line 0700004 in part‡		CFT =	Included Elsewhere
(11) Total Medium Risk	Sum of Lines (7) through (10)			
<u>High Risk Category which were CFT</u>				
(12) Annuity Reserve at Book Value Without Adjustment (minimal or no charge or adjustment)*	Notes to Financial Statements Item 12 Line 1.5, in part‡		CFT =	

(13) **Debt with GIC-like characteristics (see Appendix 1 & 1b Directions)**



(14) Total High Risk

Company records


Sum of Lines (12) & (13)

CFT = 

SECTION 8 OPINIONS (continued)

	<u>Annual Statement Source</u>	(1) Statement <u>Value</u>	<u>Factor</u>	(2) RBC REQUIREM'T
<u>Synthetic GIC's</u>				
(15) Synthetic GIC's C-3 Requirement	Company records		CFT	= 
CALLABLE ASSETS				
(16) CALLABLE ASSETS SUPPORTING SURPLUS AND RESERVES NOT TESTED BY ASSET ADEQUACY ANALYSIS	Company records		Calc	= 
SUBTOTAL				
(17) Subtotal of CFT Interest Rate Risk	Lines (6) + (11) + (14) + (15) + (16)			_____
(18) Subtotal of CFT Interest Rate Risk if Factors were used instead	Built-in Calc			_____
				=====

- ‡ Net of reinsurance, less policy loans, plus modified coinsurance assumed reserves, less modified coinsurance ceded reserves.
- § Excluding any non-policyholder reserves (e.g., reserves that are not related to specific policies).
- * Excluding GICs within 1 year of maturity.
- £ Includes GICs within 1 year of maturity subtracted elsewhere.

 Denotes items that must be manually entered on the filing software.

ALL OPINIONS (exclude statement amounts included in Lines 2 to 18 above)

	<u>Annual Statement Source</u>	(1) Statement <u>Value</u>	<u>Factor</u>	(2) RBC REQUIREMENT
<u>Low Risk Category using Factors</u>				
(19) Annuity Reserve with Market Value Adjustment (excluding unitized separate accounts and eligible experience rated pension and separate accounts with guarantees)*	Notes to Financial Statements Item 12 Line 1.1, in part‡	[REDACTED]	X 0.0075 or 0.0050† =	_____
(20) Annuity Reserve not Withdrawable (excluding structured settlements and eligible experience rated pension and separate accounts with guarantees)*	Notes to Financial Statements Item 12 Line 2, in part‡	[REDACTED]	X 0.0075 or 0.0050† =	_____
(21) Guaranteed Investment Contract (GIC) Reserve within 1 Year of Maturity £	Notes to Financial Statements Item 12 Various Lines, in part‡	[REDACTED]	X 0.0075 or 0.0050† =	_____
(22a) Life Insurance Reserves Net of Reinsurance	Exhibit 8 Section A Column 2 Line 0199999	[REDACTED]		
(22b) Less Life Insurance Reserves Policy Loans	Page 2 Line 5 in part	[REDACTED]		
(22c) Plus Modified Coinsurance Assumed Reserves net of Modified Coinsurance Assumed Policy Loans	Schedule S Part 1 Section 1 Column 11, in part‡			
(22d) Less Modified Coinsurance Ceded Reserves net of Modified Coinsurance Ceded Policy Loans	Schedule S Part 3 Section 1 Column 13, in part‡			
(22e) Life Insurance Reserves	Line (22a) - (22b) + (22c) - (22d)		X 0.0075 or 0.0050† =	_____
(23) Total Low Risk	Lines (19) + (20) + (21) + (22e)			=====
<u>Medium Risk Category using Factors</u>				
(24) Annuity Reserve at Book Value Less Surrender Charge of 5 Percent or More*	Notes to Financial Statements Item 12 Line 1.2, in part‡	[REDACTED]	X 0.0150 or 0.0100† =	_____
(25) Exhibit 10 Reserve not Included in Notes to Financial Statements Item 12 §	Exhibit 10 Line 19 amounts not included	[REDACTED]	X 0.0150 or 0.0100† =	_____
(26) Structured Settlements	Elsewhere in Interest Rate Risk (C-3)‡	[REDACTED]	0.0150	_____
(27) Additional Actuarial Reserves – Asset/Liability Analysis	Notes to Financial Statements Item 12 Line 2, in part‡	[REDACTED]	X 0.0150 or 0.0100† =	_____
(28) Total Medium Risk	Exhibit 8 Column 2 Line 0700004		X 0.0150 or 0.0100† =	_____
	Sum of Lines (24) through (27)			=====
<u>High Risk Category using Factors</u>				
(29) Annuity Reserve at Book Value Without Adjustment (minimal or no charge or adjustment)*	Notes to Financial Statements Item 12 Line 1.5, in part‡	[REDACTED]	X 0.0300 or 0.0200† =	_____
(30) Total High Risk	Line (29)			=====

ALL OPINIONS (exclude statement amounts included Lines 2 to 18 above) (cont.)

	<u>Annual Statement Source</u>	(1) Statement Value	(2) RBC REQUIREMENT
<u>Synthetic GIC's</u>			
(31) Synthetic GIC's C-3 Requirement	Company records		RBC x 1.000 (less "haircut")
(32) Subtotal of Factor Interest Rate Risk	Lines (23) + (28) + (30) + (31)		
TOTAL			
(33) Interest Rate Risk Combining CFT and Factors	Lines (17)+(32)		
(34) Interest Rate Risk Using Factors in All Cases	Lines (18)+(32)		
(35) Total Interest Rate Risk	(33), but not more than 2 x (34) or less than 0.5 x (34)		

- † The factors are decreased by one-third if the company submits an unqualified actuarial opinion under Section 8 of the revised Standard Valuation Law. The diskette automatically recalculates the factor, depending on the answer to Line (1).
- ‡ Net of reinsurance, less policy loans, plus modified coinsurance assumed reserves, less modified coinsurance ceded reserves.
- § Excluding any non-policyholder reserves (e.g., reserves that are not related to specific policies).
- * Excluding GICs within 1 year of maturity.
- £ Includes GICs within 1 year of maturity subtracted elsewhere.

 Denotes items that must be manually entered on the filing software.

9/20/99